



# 1500 Series Scanners from CipherLab

## **Accelerate your business**

Handheld scanners are much faster than human fingers. Pull the trigger and the work is done instantly: complete series, update inventories, check patient records, and record production line parts and activities. Handheld scanners accelerate work with error-free capture of critical information, keeping your company data up to date and up to the minute.

## **Cut costs**

CipherLab scanners are versatile, agile, and priced right for long-lasting value. Your company benefits from years of use, backed by a manufacturer honored in the industry for its innovative, reliable products and customer service. The 1500 series scanners capture data from regular to long barcodes with a choice of linear imager, 2D imager, or laser. Together with *Bluetooth*® cordless and corded applications, the 1500 series scanners help you run business more efficiently with improved operations.



## Go where the work takes you

The 1500 series includes wireless scanners to unleash workers, so they can go where the work is and get more done, in more places. Our 1500 series *Bluetooth*® scanners connect with the communication stand up to 90 meters (295 feet) away. Beyond that, they keep working by storing information until the scanner is back in range.

# Smart solutions with immediate payoffs

Accelerate receiving with fast, reliable, low-cost CipherLab 1500 handheld scanners

European retail giant Valora deployed 1,100 CipherLab 1500 scanners to improve product receiving in its Swiss sales outlets.



"After performing extensive tests, it was clear that the CipherLab scanner performed much better than any of the other solutions. We had no previous experience with CipherLab and were positively surprised with its error-free scans, reliability, and the convincing value for money it offers."

Christian Wurger, Head of the Corporate IT Operation/ Support, Valora, Switzerland

#### Streamline tracking and delivery with wireless CipherLab *Bluetooth*® scanners

To ensure better tracking and delivery of mail and goods, Brazil's ECT, the largest post office in Latin America, relies on the flexibility and productivity of CipherLab

\*Bluetooth\* scanners.



"With the new scanners, employees can easily reach the items to scan. They can walk around outdoors and scan packages in the unloading/departing zones, allowing them to work faster and get more work done. And the database is always updated when they are back in wireless range."

Marcel Gomes, Complex Solutions Provider for ECT, Brazil.

## Update stock and reply distribution requirements in real time with wireless CipherLab Bluetooth® scanners

To ensure accurate CD/DVD replenishment, ASDA/Wal-Mart combines the wireless connectivity of CipherLab *Bluetooth*® scanners and Smartphones/PDAs to instantly send stocking requirements to the distribution center.



"After searching worldwide for scanners with good communication capabilities, we found CipherLab *Bluetooth*® scanners with high-quality and reliable performance. CipherLab scanners not only provide real-time stocking updates, but also record deliveries made to the actual supermarkets, which improves the efficiency of our business operation."



## **Snappy scanning, speedy decoding**

The 1500 series with linear imaging reader scan and decode barcodes up to 520 times per second to speed work, eliminate rescans and keep up with your fastest operation. This high speed delivered with low power consumption makes auto-sense scanning very effective.

## Wireless freedom

#### **Range of Operation**

The 1500 series *Bluetooth*® wireless scanners have a 90-meter line-of-sight range from the communication stand. If it's not in range, with the optional linear imager and laser scanners, the scanner's buffer memory holds up to 256 scans in reserve, ready to transmit automatically when you're back in range again. Or, use batch mode to record over 32,000 scans – that's freedom to roam widely. The 1500 *Bluetooth*® scanner with 2D reader has a buffer memory of 10 K or 4 MB in batch mode.

#### **House of Wireless Power**

CipherLab offers you the multi-shift service with the 1500 series *Bluetooth*<sup>®</sup> scanner. Without interruption of workflow, users get to finish work more productively and efficiently.

## A Great Variety at Your Fingertips

Every business is different and has different scanning needs, which is why CipherLab have a broad range of scanners to suit any businesses whatever their needs. The 1500 series comes in a range of varieties. The linear imager scanner offers the option of reading long barcodes, for example the ones on bills, making it suitable for utility companies, banks, and collecting agencies. The option of 2D imager is good for scanning barcodes on medicine packaging or hospital equipments making them suited for pharmaceutical or hospitals.

## PC Software to Custom-Configure Scanners to Any Environment

CipherLab **ScanMaster** software provides comprehensive tools to configure any scanner, such as enabling and disabling hands-free scanning, choosing edit format and symbology types, plus more. With ScanMaster, scanners can be easily customized to fit every working environment. ScanMaster for PC is included with all CipherLab scanners. In addition, 1500 series is also supported by **CipherConnect** which is a COM-to-key utility designed for CipherLab *Bluetooth*® scanners to work as an input device for smart devices, such as Smartphone or PDA. The software enables intensive data collection and transmission via CipherLab *Bluetooth*® scanner to the smart device.



















			1500P	1560P	1502	1562	1504P	1504A	1564A
Category			Linear	Imager	La	ser		2D Imager	
			Corded	Bluetooth® Class 2 (2.4 GHz) Version 4.0+EDR	Corded	Bluetooth® Class 2 (2.4 GHz) Version 2.1+EDR	Corded		Bluetooth® Class 2 (2.4 GHz) Version 4.0+EDR
RF Communication of	Covera	age		90 m <sup>1</sup> / 295 ft. line of sight		90 m <sup>1</sup> / 295 ft. line of sight			90 m <sup>1</sup> / 295 ft. line of sigh
Bluetooth® scanner	Standard profile		<del></del>	SPP, HID		SPP, HID			SPP, HID
	Optical sensor		CCD Linear Sensor 2500 pixels		Laser		CMOS Image Sensor 1280 x 800 pixels	CMOS Image Sensor 1280 x 800 pixels CMOS Image Sens	
	Light source		Red LED 625 nm Red LED 618-626 nm		Visable laser diode at 650 ± 15 nm		Warm White LED (2x) 625 ±5 nm LEDs (2x)		n LEDs (2x)
	Resolution		3 mil		4 mil		3 mil - 1D barcode / 5 mil - 2D barcode		barcode
	Code 39 3 mil		6.9 to 10.7 cm / 2.7 to 4.2 in. 6 to 17 cm / 2.4 to 6.7 in.		Code 39 4 mil: 1 to 4 cm / 0.4 to 1.6 in.		4 to 9 cm / 1.6 to 3.5 in. 6.9 to 10.7 cm / 2.7 to 4.2 in.		
	Depth	Code 39 5 mil UPCA 13 mil		2.4 to 6.7 in. 1.6 to 15.7 in.	1 to 12 cm / 0.4 to 4.7 in. 1.5 to 51.5 cm / 0.6 to 20.3 in.		3 to 14.5 cm / 1.2 to 5.7 in. 3.5 to 30 cm / 1.4 to 11.8 in.	3.6 to 18.5 cm / 1.4 to 7.3 in. 4 to 30.5 cm / 1.6 to 12 in.	
	of	PDF417 5 mil			-		3 to 10.5 cm / 1.2 to 4.1 in.	in. 7.1 to 11.4 cm / 2.8 to 4.5 in.	
	field	QR Code 10 mil	-		-		2 to 16 cm / 0.8 to 6.3 in.	2.5 to 16.5 cm / 1.0 to 6.5 in.	
		Long barcode 8.2 cm, 8 mil	1500P: 10 to 20 cm / 3.9 to 7.9 in -		-		-		
	Scanni	ing angle	Pitch ± 70°	Skew ± 70°	Pitch ± 65°	Skew ± 50°		Pitch ±60° Skew±60°	)
	Minimum PCS		25%		45%		25% 30%		30%
Performance	Scan rate		520 scans/ second		100 scans/ second		60 scans/ second		
	Ambient illumination		100,000 lux						
	Hands-free scanning		Auto-sense and o	Auto-sense and continuous modes Continuous mode Auto-sense and presentation modes					modes
	Barcodes support		Codabar, Code 39, Code 93, Code 128,GS1 DataBar (RSS), Industrial 2 of 5, Interleave 2 of 5, ISBT-128, Italian and French Pharmacodes,Matrix 2 of 5, MSI, Plessey, Telepen, UPC / EAN / GS1-128, and more			1D : All of the bacodes that 1500 series 1D scanners can support 2D : PDF417, MicroPDF417, DataMatrix, QR code, Micro QR code, Aztec, Maxicode	can support except French Pharmacodes, Plessey and Telepen 2D: PDF417, MicroPDF417, Composite, RSS, TLC-39, Datamatrix, QR code, Micro QR code,		
	Programmable features		Data editing, interface selection, symbology configuration						
	Language support		US and UK English, French, Italian, Belgian, Norwegian/Swedish, Spanish, Portuguese, German, Japanese and Turkish						
Physical	Dimension L x W x H		15.3 x 6.1 x 9.3 cm / 6.0 x 2.4 x 3.7 in.						
	Weight without cable / with battery		1500P: 149 g / 5.2 oz.	173 g / 6.1 oz.	149 g / 5.2 oz.	177 g / 6.2 oz.	149g / 5.2 oz.	154 g / 5.4 oz.	185 g / 6.5 oz.
Tilysical	Color					Black			
	Switch		Tactile Switch						
	Memory for <i>Bluetooth</i> ® scanner reserver buffer / batch mode			4 K / 512 K		4 K / 512 K	10 K / 4 MB		10 K / 4 MB
Electrical	Working hours for Bluetooth® scanner			36 hours based on 1 scan / 5 seconds		24 hours based on 1 scan / 5 seconds	26 hours based on 1 scan / 5 s		26 hours based on 1 scan / 5 seconds
	Voltage		+5 V ±10% / 3.7 V 800 mAh Li-ion battery						
	Power consumption <sup>2</sup> Standby / Operating		1500P: 20 mA / 286 mA	20 mA / 250 mA	35 mA / 210 mA	25 mA / 210 mA	60 mA/ 420 mA	22mA / 150 mA	22mA / 166 mA
User Environment	Temperature		Operating: 0°C to 50°C / 32°F to 122°F Storage: -20°C to 60°C / -4°F to 140°F						
	Humidity		Operating: 10% to 90% Storage: 5% to 95%						
	Impact resistance		1.5 m (4.9 ft) multiple drops onto concrete  1.2 m (3.9 ft) multiple drops onto concrete						
	Ingress protection		IP30						
	Electrostatic discharge  Regulatory Compliance		±8 kV contact ±15 kV air						
			BSMI, CE, RCM, FCC, IC	BSMI, CE, RCM, FCC, IC, NCC, SRMC, JRL	BSMI, CE, RCM, FCC, IC, KC	BSMI, CE, RCM, FCC, IC, KC, NCC, SRMC, JRL	BSMI, CE, RCM, FCC, IC, KC		BSMI, CE, RCM, FCC, IC, KC, NCC, SRMC, JRL
			RoHS, REACH, WEEE, ErP						
Configuration			Setup options include Windows®-based ScanMaster software, by direct connection or printing out barcode settings						
Accessories			USB, RS232 and keyboard wedge cables, hands-free adjustable stand, Three-way desk/wall/auto-sense stand with optional weighted base, communication stand for <i>Bluetooth</i> ® scanner provides <i>Bluetooth</i> ® communication for up to 7 scanners, single battery charger for <i>Bluetooth</i> ® scanner						
Warranty			5 years 3 years 3 years (engine 1 year) 3 years 3 years (engine 1 year)						
		tand without we	thted base. 2.The data is tested with USB interface.						

1.It is based on communication stand without weighted base. 2.The data is tested with USB interface.



HEADQUARTERS CipherLab Co., Ltd. 12F, 333 Dunhua S. Rd., Sec.2 Taipei, Taiwan 10669 Tel +886 2 8647 1166 Fax +886 2 8732 3300 www.cipherlab.com

CipherLab Electronics Trading (Shanghai) Co., Ltd. J Room, 4F, No.728 West Yan'an Rd. Changning District, Shanghai China 200050 Tel +86 21 3368 0288 Toll Free 400 920 0285 Fax +86 21 3368 0286 CipherLab USA Inc. 2552 Summit Avenue STE 400 Plano, Texas, USA 75074 Tel +1 469 241 9779 Toll Free 888 300 9779 Fax +1 469 241 0697 CipherLab Europe Flight Forum 40, 5657 DB Eindhoven, The Nederlands Tel +31 40 295 1510