




Mobile Printer Accessories Guide

Make your printers even more productive





Mobile printers that do more, faster and on demand

Rely on Zebra mobile printers to improve efficiencies across your facilities, processes and workforce, helping your entire operation get business done reliably and quickly anywhere, anytime.



PREMIUM

ZQ600 and QLn Series Mobile Printers

Lightweight, drop resistant and user friendly, ZQ600 and QLn™ mobile printers are ideal for warehousing, shipping and receiving, and merchandising. Our ZQ610 and ZQ620 Healthcare mobile printers with disinfectant-ready plastics are ideal for mobile specimen collection or other healthcare applications. Use them to print barcode labels, receipts and other documents exactly when and where they're needed. The Link-OS® technology makes them easy to integrate, manage and maintain from a PC, smartphone or tablet, anywhere in the world.



RUGGED PREMIUM

ZQ500 Series Mobile Printers

The industry's most rugged mobile printers that can withstand repeated drops to concrete from 6.6' (2m). With an IP54 rating, they are protected from liquid and solid ingress, plus have a Mil-Std 810g rating for shock and drop. Large buttons and a user-friendly interface are easy to operate, even when wearing gloves. Zebra's Link-OS makes them simple to integrate, manage and maintain.



MID RANGE

ZQ300 Series Mobile Printers

The ZQ300 Series is a small mobile printer that can handle the elements, generate high quality receipts in practically any environmental condition, guarantee power for the longest shift, with a ready-to-use remote management solution — all at a price that won't break the bank. The ZQ300 — the affordable little mobile printer that delivers big business value.



VALUE

ZQ110 Mobile Printer

This affordable 2-inch mobile printer produces receipts and tickets on demand and on the go. Although it prints at speeds up to 3.5 inches-per-second, it slips easily into a pocket and weighs only eight ounces. The "sleep mode" helps to conserve battery power, and it connects wirelessly to a range of Apple, Android and Windows devices.



Get the accessories you need to increase your mobile printers' functionality and durability

You rely on mobile printers to increase employee productivity and accuracy. In seconds, without running to a central location, employees can print exactly what they need, on demand.

Whether you're printing labels, receipts or tickets or leveraging Zebra's broad range of accessories such as batteries, chargers and cradles or carrying options; our solutions will help to make your entire operation faster, more flexible and more reliable even in harsh or demanding environments.



Batteries

Choose better technology for better power management

Energy management is critical to keeping your workforce mobile. Balance performance and power with efficient batteries and battery accessories. Zebra's long lasting batteries power your mobile printers without limiting productivity. Available in both standard and extended packs to meet your different needs.



PowerPrecision+ Battery — Only From Zebra Technologies

PowerPrecision+ batteries deliver the ultimate in battery management, enabling electronic query of battery asset information plus a wealth of battery health-related information, including charge cycles consumed, battery status at the time of query and a State Of Health meter, which performs real time modeling of the electrical characteristics of the battery pack to compare current performance to that of a new battery.



Chargers, Power Supplies, Cradles and Mounting

Get your batteries back into service — fast

Zebra® power adapters and chargers fully recharge a battery in just 2.5 to 5 hours, and they deliver the superior reliability and longevity you need to keep batteries in service. Choose between Single and 3-Slot Battery Chargers, charging cradles, wall chargers and on the road charging solutions.



Carrying and Protection Options

Keep your mobile printers available, safe and convenient

Ensure your printer is at hand when you need it and out of the way when it's not. These quality, custom-designed printer cases and covers make them easy to carry on your belt or over your shoulder. Plus, they're weather resistant and add an extra layer of protection when they're bumped around.



Cables and Other Accessories

Depend on quality Zebra cables

For speed, reliability and precise data transmission, depend on Zebra cables. They are manufactured to the highest standards to be durable and to deliver seamless, timely, and hassle-free connectivity and communication. Don't trust just any cable, because when you need to be connected... you need to be connected.



ZQ600 and QLn Series Mobile Printers








Batteries

Accessory	Part Number	Description
 <p>PowerPrecision+ 2450mAh Li-Ion Rechargeable Battery</p> <p>COMPATIBLE PRINTERS: QLn220, QLn320, ZQ510, ZQ520</p>	P1031365-059	Standard printer battery for use with QLn220/QLn320 and ZQ500 Series which can be polled and managed to monitor battery health and recommend replacement. BATTERY CAPACITY: 2450 mAh
 <p>PowerPrecision+ 4900mAh Li-Ion Rechargeable Battery</p> <p>COMPATIBLE PRINTERS: ZQ610, ZQ620, QLn220, QLn320, ZQ510, ZQ520</p>	P1031365-069 (with LED)	Extended Li-Ion battery with LED and twice the capacity for use with the QLn220/QLn320 and ZQ500 Series. NOTE: LED indicates when the battery is beyond useful life/ due for replacement. BATTERY CAPACITY: 4900 mAh
 <p>PowerPrecision+ 2450mAh Li-Ion Rechargeable Battery, white</p> <p>COMPATIBLE PRINTERS: QLn220 HC, QLn320 HC</p>	P1065668-018	Standard printer battery for use with QLn220/QLn320 HC which can be polled and managed to monitor battery health and recommend replacement. BATTERY CAPACITY: 2450 mAh
 <p>PowerPrecision+ 4900mAh Li-Ion Rechargeable Battery</p> <p>COMPATIBLE PRINTERS: QLn420</p>	P1050667-016	Standard printer battery for use with QLn420 which can be polled and managed to monitor battery health and recommend replacement. BATTERY CAPACITY: 4900 mAh
 <p>Spare Smart Battery 3250 mAH</p> <p>COMPATIBLE PRINTERS: ZQ610, ZQ620</p>	BTRY-MPP-34MA1-01	Standard printer battery for use with the ZQ610/ZQ620 Series which can be polled and managed to monitor battery health and recommend replacement. BATTERY CAPACITY: 3250 mAh
 <p>Healthcare Spare Smart Battery 3250 mAH</p> <p>COMPATIBLE PRINTERS: ZQ610, ZQ620</p>	BTRY-MPP-34MAHC1-01	Standard printer battery for the use with the ZQ610/ZQ620 HC which can be polled and managed to monitor battery health and recommend replacement. BATTERY CAPACITY: 3250 mAh

ZQ600 and QLn Series Mobile Printers








Chargers, Power Supplies, Cradles and Mounting

Accessory	Part Number	Description
 <p>1-Slot Battery Charger</p> <p>COMPATIBLE PRINTERS: ZQ610, ZQ620, QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC, ZQ510, ZQ520</p>	<p>SAC-MPP-1BCHGUS1-01 US SAC-MPP-1BCHGEU1-01 EU SAC-MPP-1BCHGUK1-01 UK SAC-MPP-1BCHGAU1-01 AU SAC-MPP-1BCHGCN1-01 CN</p>	<p>Docks and charges a single PowerPrecision+ Li-Ion printer battery. Integrated power supply. Ships with line cord. Select the part number with the appropriate line cord for your region.</p> <p>NOTE: Works with both standard and extended battery packs.</p>
 <p>3-Slot Battery Charger</p> <p>COMPATIBLE PRINTERS: ZQ610, ZQ620, QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC, ZQ510, ZQ520</p>	<p>SAC-MPP-3BCHGUS1-01 US SAC-MPP-3BCHGEU1-01 EU SAC-MPP-3BCHGUK1-01 UK SAC-MPP-3BCHGAR1-01 AR SAC-MPP-3BCHGBR1-01 BR SAC-MPP-3BCHGAU1-01 AU SAC-MPP-3BCHGCN1-01 CN SAC-MPP-3BCHGIN1-01 IN</p>	<p>Dock and charge up to three PowerPrecision+ Li-Ion printer batteries at a time. The 3-slot battery charger ships with a power supply and line cord. Select the part number with the appropriate line cord for your region.</p> <p>NOTE: Works with both standard and extended battery packs.</p>
 <p>Dual 3-Slot Battery Charger Connected via Y Cable</p> <p>COMPATIBLE PRINTERS: ZQ610, ZQ620, QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC, ZQ510, ZQ520</p>	<p>SAC-MPP-6BCHUS1-01 US SAC-MPP-6BCHEU1-01 EU SAC-MPP-6BCHUK1-01 UK SAC-MPP-6BCHAR1-01 AR SAC-MPP-6BCHBR1-01 BR SAC-MPP-6BCHAU1-01 AU SAC-MPP-6BCHCN1-01 CN SAC-MPP-6BCHIN1-01 IN</p>	<p>Dock and charge up to six PowerPrecision+ Li-Ion printer batteries at a time. The dual 3-slot battery charger ships with a power supply, Y-Cable and country specific power cord. Select the part number with the appropriate line cord for your region.</p> <p>NOTE: Works with both standard and extended battery packs.</p>
 <p>Shared Cradle</p> <p>COMPATIBLE PRINTERS: ZQ610, ZQ620, QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC, ZQ510, ZQ520</p>	<p>SKU's, price and lead time to be provided by CAG (Custom Applications Group). Contact CAG team for more information.</p>	<p>3-slot battery charger for ZQ600, QLn and ZQ500 Series batteries plus three slots to charge TC70 mobile computers (charging cups).</p>
 <p>Battery Eliminator Dummy Battery Pack and Power Supply</p> <p>COMPATIBLE PRINTERS: QLn420</p>	<p>P1050667-140 (includes power supply)</p>	<p>QLn420 battery eliminator dummy battery pack allows users to connect printers directly to forklift or vehicle power without using battery as consumable product.</p> <p>COMMONLY BUNDLED ITEMS: P1050667-032 QLn420 Handi-Mount with base plate P1050667-033 QLn420 Handi-Mount without base plate</p> <p>ALSO USED WITH : P1050667-035 Mobile Mount Kit</p>

ZQ600 and QLn Series Mobile Printers







Chargers, Power Supplies, Cradles and Mounting (continued)

Accessory	Part Number	Description
 <p>Battery Eliminator COMPATIBLE PRINTERS: QLn420</p>	P1050667-041	QLn420 battery eliminator dummy battery pack allows users to connect printers directly to forklift or vehicle power without using battery as consumable product. Must be ordered with open-ended or vehicle lighter adapter Battery Eliminator power supply.
 <p>15-60V DC Power Supply (Barrel jack/open ended) COMPATIBLE PRINTERS: ZQ610, ZQ620, ZQ610 HC, ZQ620 HC, QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC, P4T, ZQ510, ZQ520</p>	AK18913-003 (barrel jack connector)	15-60V DC power supply with barrel jack connector. Connects directly to ZQ600, QLn and ZQ500 Series. Open ended wires for charging the printer on a forklift.
 <p>12-24V DC Power Supply COMPATIBLE PRINTERS: ZQ610, ZQ620, QLn220, QLn320, QLn420, ZQ510, ZQ520</p>	P1050667-142 (open ended, 12-24V, for use with/without cradle) P1063406-133 (lighter adapter, 12-24V, for use with/without cradle)	12-24V DC power supply charges the printer via vehicle open-ended or lighter power adapter. Connects to barrel jack on printer, or on the single slot printer charging cradle.
 <p>IEC60601 AC Adapter for Healthcare COMPATIBLE PRINTERS: ZQ610 HC, ZQ620 HC, QLn220 HC, QLn320 HC</p>	P1065668-011 AU P1065668-012 CN P1065668-010 EU P1065668-013 JP P1065668-009 UK P1065668-008 US	Connect the printer to AC power to charge the printer's internal battery. Compliant with Healthcare standard IEC60601 for use in patient rooms.
 <p>AC Adapter COMPATIBLE PRINTERS: ZQ610, ZQ620, QLn220, QLn320, QLn420, ZQ510, ZQ520</p>	P1031365-083 AR P1031365-043 AU P1031365-039 BR P1031365-040 CN P1031365-042 EU P1031365-032 IL P1081280-008 IN P1031365-094 JP P1031365-093 TW P1031365-041 UK P1031365-024 US P1031365-142 CL	Connect the printer (or charging cradle) to AC power to charge the printer's internal battery. NOTE: Printer sold separately.

ZQ600 and QLn Series Mobile Printers



Chargers, Power Supplies, Cradles and Mounting (continued)

Accessory	Part Number	Description
 <p>Vehicle Charging Cradle COMPATIBLE PRINTERS: QLn420</p>	P1050667-026	Dock and charge a single QLn420 printer in a vehicle or on a forklift. Includes 15-60V DC power supply. Can be optionally used with a RAM Arm mount.
 <p>Single Ethernet Charging Cradle COMPATIBLE PRINTERS: QLn420</p>	P1050667-023 AR P1050667-024 AU P1050667-022 BR P1050667-025 CN P1050667-020 EU P1050667-028 IL P1081280-010 IN P1050667-021 JP P1050667-027 TW P1050667-019 UK P1050667-018 US	Dock and charge a single QLn420 printer on a tabletop/ countertop surface. Ethernet allows the printers to be managed remotely. Power supply ships with the Single Ethernet Charging Cradle. Select the part number with the appropriate line cord option for your region.
 <p>Single Ethernet Charging Cradle COMPATIBLE PRINTERS: ZQ610, ZQ620, QLn220, QLn320</p>	P1031365-084 AR P1031365-036 AU P1031365-037 BR P1031365-030 CN P1031365-035 EU P1031365-086 IL P1081280-007 IN P1031365-098 JP P1031365-097 TW P1031365-034 UK P1031365-033 US P1031365-038 (no AC adapter or plug)	Dock and charge a single ZQ610/ZQ620 or a QLn220/QLn320 printer on a tabletop/countertop surface. Ethernet allows the printers to be managed remotely. Power supply ships with the Single Ethernet Charging Cradle. Select the part number with the appropriate line cord option for your region. NOTE: Printer sold separately.
 <p>Single Ethernet Cradle with IEC60601 Adapter COMPATIBLE PRINTERS: ZQ610 HC, ZQ620 HC, QLn220 HC, QLn320 HC</p>	P1065668-023 US P1065668-024 UK P1065668-025 EU	Dock and charge a single ZQ610/ZQ620 or a QLn220/QLn320 healthcare printer on a tabletop/countertop surface. Ethernet allows the printers to be managed remotely. IEC60601 AC Adapter for Healthcare ships with the Single Ethernet Charging Cradle. Select the part number with the appropriate line cord option for your region.

ZQ600 and QLn Series Mobile Printers



Chargers, Power Supplies, Cradles and Mounting (continued)

Accessory	Part Number	Description
<p>4-Slot Ethernet Charging Cradle (EC4) COMPATIBLE PRINTERS: ZQ610, ZQ620, QLn220, QLn320</p>	<p>P1031365-085 AR P1031365-048 AU P1031365-049 BR P1031365-031 CN P1031365-047 EU P1031365-087 IL P1081280-009 IN P1031365-100 JP P1031365-099 TW P1031365-046 UK P1031365-045 US</p>	<p>Docks and charges up to four ZQ610/ZQ620 or QLn220/QLn320 simultaneously. Allows remote unattended management. Provides two Ethernet ports for daisy chaining up to four 4-Slot Ethernet Charging Cradles. Power supply ships with the 4-Slot Ethernet Charging Cradles. Select the part number with the appropriate line cord option for your region.</p> <p>NOTE: Printer sold separately.</p>
<p>Mobile Mount Kit COMPATIBLE PRINTERS: QLn420</p>	<p>P1050667-035</p>	<p>Heavy duty, shock-absorbing mounting kit with U-Arm Bracket and fanfold bin for external media use.</p>
<p>Replacement Front Panel for Mobile Mount Kit COMPATIBLE PRINTERS: QLn420</p>	<p>P1050667-037</p>	<p>Replacement front panel for QLn420 Mobile Mount kit.</p> <p>NOTE: This is for customers who had the QLn420 equivalent mobile mount and want to upgrade to the QLn420.</p>



ZQ600 and QLn Series Mobile Printers



Chargers, Power Supplies, Cradles and Mounting (continued)

Accessory	Part Number	Description
 <p>Handi-Mount COMPATIBLE PRINTERS: QLn420</p>	<p>P1050667-032 (with base plate) P1050667-033 (without base plate)</p>	<p>More compact mounting option for the QLn420 with a RAM arm and mounting plate. Available with or without a base plate.</p> <p>COMMONLY BUNDLED ITEMS:* P1050667-140 12-48VDC QLn420 Battery Eliminator (includes dummy battery) for use with P1050667-032, -033, -035</p> <p>NOTE: Printer sold separately.</p>
 <p>RAM Mount Arm COMPATIBLE PRINTERS: QLn420, P4T</p>	<p>P1010338</p>	<p>Attaches to the QLn420 or P4T Vehicle Charging Cradle for flexible mounting orientation.</p> <p>COMMONLY BUNDLED ITEMS:** P1050667-026 Vehicle Charging Cradle</p>
 <p>Printer Stand COMPATIBLE PRINTERS: ZQ610, ZQ620, ZQ610 HC, ZQ620 HC, QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC</p>	<p>P1050667-038</p>	<p>Metal stand for storing the printer in upright orientation.</p> <p>NOTE: This is not intended for use on mobile carts.</p>
 <p>4-Slot Ethernet Charging Cradle Wall Mount Kit COMPATIBLE PRINTERS: ZQ610, ZQ620, QLn220, QLn320</p>	<p>P1031365-050</p>	<p>Mounting kit which allows you to secure a 4-Slot Ethernet Charging Cradle to a wall.</p>
 <p>Spare Fanfold Bin COMPATIBLE PRINTERS: QLn420, P4T</p>	<p>AN16618-1</p>	<p>Spare fanfold media storage bin for use with QLn420 and P4T mobile mount kits (with external media).</p> <p>NOTE: Includes media spacer and mounting hardware.</p>

*Printer is fixed-mounted. Flexible, smaller mounting with a RAM arm (included).

**Cradle (printer can be removed via a button) with DC converter for use with a forklift battery.








Accessories to meet your needs

At Zebra, we know that our customers define their office in different ways. Whether you define it as a forklift, a cruiser, a truck cab or walking the aisles and hallways, we have mobile printer accessories to meet your specific needs. Accessories complete the solution to make you more efficient and productive.

ZQ600 and QLn Series Mobile Printers





Carrying and Protection Options

Accessory	Part Number	Description
 <p>Soft Case COMPATIBLE PRINTERS: ZQ610, ZQ620, QLn220, QLn320, QLn420</p>	<p>P1031365-044 (ZQ610, QLn220) P1031365-029 (ZQ620, QLn320) P1050667-017 (QLn420)</p>	<p>Add an extra layer of protection for harsh environments with a soft case. While in the case, the printer is IP54-rated resistance to windblown water and dust. Case provides openings for changing the media and batteries and all connectors are accessible. Includes shoulder strap.</p>
 <p>Hard Case with Metal Belt Clip COMPATIBLE PRINTERS: QLn420</p>	<p>P1050667-034</p>	<p>Add an extra layer of protection from abrasion in harsh environments with a hard case. Includes metal belt clip.</p>
 <p>Shoulder Strap (61") COMPATIBLE PRINTERS: ZQ610, ZQ620, QLn220, QLn320, QLn420</p>	<p>P1031365-192</p>	<p>Offers over-the-shoulder carrying option. Connects via looping strap.</p>
 <p>Healthcare Shoulder Strap (61") COMPATIBLE PRINTERS: ZQ610, ZQ620, QLn220, QLn320</p>	<p>P1065668-021</p>	<p>Disinfectant ready shoulder strap for healthcare environments; offers over-the-shoulder carrying option. Connects via looping strap. NOTE: Adapter hooks are sold separately.</p>
 <p>Hand Strap (8") COMPATIBLE PRINTERS: ZQ610, ZQ620, QLn220, QLn320, QLn420</p>	<p>P1031365-027</p>	<p>Hand strap which allows the printer to be carried by hand, like a toolbox.</p>
 <p>Spare Belt Clip (Quantity 20) COMPATIBLE PRINTERS: ZQ610, ZQ620, ZQ610 HC, ZQ620 HC, QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC</p>	<p>P1031365-028 (Standard) P1065668-017 (QLn Healthcare) P1099875-057 (ZQ600 Healthcare)</p>	<p>Replacement belt clips for the ZQ600 and QLn.</p>



Cables and Other Accessories

Accessory	Part Number	Description
 <p>Serial Cable (PC-DB9) 6' Straight AP DTR COMPATIBLE PRINTERS: ZQ610, ZQ620, QLn220, QLn320, QLn420</p>	<p>P1031365-053</p>	<p>Cable connects from a ZQ600 and QLn to PC for serial communications. NOTE: Equivalent to QL cable BL11757-001</p>
 <p>Serial Cable Adapter (1') COMPATIBLE PRINTERS: ZQ610, ZQ620, QLn220, QLn320, QLn420</p>	<p>P1031365-052</p>	<p>Serial Cable adapter which allows legacy QL cables to be used with ZQ600 and QLn.</p>

ZQ600 and QLn Series Mobile Printers





Cables and Other Accessories (continued)

Accessory	Part Number	Description
<p>MC9000 Serial Cable (9' 5'') COMPATIBLE PRINTERS: ZQ610, ZQ620, QLn220, QLn320, QLn420</p>	P1031365-054	Serial cable which connects the ZQ600 and QLn to MC9000 Series Handheld Mobile Computers. NOTE: Equivalent to QL cable CL17305-1
<p>USB Cable with Strain Relief (6') COMPATIBLE PRINTERS: ZQ610, ZQ620, QLn220, QLn320, QLn420</p>	P1031365-055	USB cable for connecting the ZQ600 and QLn to PCs/laptops. Prevents USB cable breakage via hard plastic twist lock.
<p>USB Cable COMPATIBLE PRINTERS: ZQ610, ZQ620, QLn220, QLn320, QLn420</p>	AT17010-1	USB cable for setup/configuration of the ZQ600 and QLn.
<p>Serial Cable, RJ-45 to Telxon Adapter, 8' Coiled AP DTR COMPATIBLE PRINTERS: ZQ610, ZQ620, QLn220, QLn320, QLn420</p>	P1031365-056	Serial cable for connecting the ZQ600 and QLn to RJ-45 Telxon adapter. Prevents breakage via a hard plastic twist lock. NOTE: Equivalent to QL cable BL11122-1
<p>Serial Cable, RJ-45 to LS2208 Scanner (3' 5'') COMPATIBLE PRINTERS: ZQ610, ZQ620, QLn220, QLn320, QLn420</p>	P1031365-057	Serial cable for connecting the ZQ600 and QLn to an LS2208 scanner. NOTE: Equivalent to QL cable AK18192-1
<p>Serial Cable, RJ-45 to MC3000 (8' 4'') COMPATIBLE PRINTERS: ZQ610, ZQ620, QLn220, QLn320, QLn420</p>	P1031365-058	Serial cable for connecting the ZQ600 and QLn to MC3000 Series Handheld Mobile Computers. NOTE: Equivalent to QL cable AK17591-345

ZQ600 and QLn Series Mobile Printers



Cables and Other Accessories (continued)

Accessory	Part Number	Description
 <p>Serial Cable, RJ-45 to MC3000 8' Coiled AP DTR</p> <p>COMPATIBLE PRINTERS: ZQ610, ZQ620, QLn220, QLn320, QLn420</p>	P1031365-060	<p>Serial cable for connecting the ZQ600 and QLn to MC3000 Series Handheld Mobile Computers.</p> <p>NOTE: Equivalent to QL cable BL16713-1</p>
 <p>Serial Cable, RJ-45 with Strain Relief (9' 4\"</p> <p>COMPATIBLE PRINTERS: ZQ610, ZQ620, QLn220, QLn320, QLn420</p>	P1031365-062	<p>Serial cable for connecting the ZQ600 and QLn to RJ-45 serial devices. Prevents breakage via a hard plastic twist lock.</p> <p>NOTE: Equivalent to QL cable BL12093-1</p>









ZQ500 Series Mobile Printers



Batteries


Accessory	Part Number	Description
 <p>PowerPrecision+ 2450mAh Li-Ion Rechargeable Battery</p> <p>COMPATIBLE PRINTERS: ZQ510, ZQ520, QLn220, QLn320</p>	 <p>P1031365-059</p>	<p>Standard printer battery for use with QLn220/QLn320 and ZQ500 Series which can be polled and managed to monitor battery health and recommend replacement.</p> <p>BATTERY CAPACITY: 2450 mAh</p>
 <p>PowerPrecision+ 4900mAh Li-Ion Rechargeable Battery</p> <p>COMPATIBLE PRINTERS: ZQ510, ZQ520, ZQ610, ZQ620, QLn220, QLn320</p>	 <p>P1031365-069 (with LED)</p>	<p>Extended Li-Ion battery with LED and twice the capacity for use with the QLn220/QLn320 and ZQ500 Series.</p> <p>BATTERY CAPACITY: 4900 mAh</p> <p>NOTE: LED indicates when the battery is beyond useful life/ due for replacement</p>



ZQ500 Series Mobile Printers



Chargers, Power Supplies, Cradles and Mounting

Accessory	Part Number	Description
 <p>1-Slot Battery Charger</p> <p>COMPATIBLE PRINTERS: ZQ610, ZQ620, ZQ610 HC, ZQ620 HC, QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC, ZQ510, ZQ520</p>	<p>SAC-MPP-1BCHGUS1-01 US SAC-MPP-1BCHGEU1-01 EU SAC-MPP-1BCHGUK1-01 UK SAC-MPP-1BCHGAU1-01 AU SAC-MPP-1BCHGCN1-01 CN</p>	<p>Docks and charges a single PowerPrecision+ Li-Ion printer battery. Integrated power supply. Ships with line cord. Select the part number with the appropriate line cord for your region.</p> <p>NOTE: Works with both standard and extended battery packs.</p>
 <p>3-Slot Battery Charger</p> <p>COMPATIBLE PRINTERS: ZQ610, ZQ620, ZQ610 HC, ZQ620 HC, QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC, ZQ510, ZQ520</p>	<p>SAC-MPP-3BCHGUS1-01 US SAC-MPP-3BCHGEU1-01 EU SAC-MPP-3BCHGUK1-01 UK SAC-MPP-3BCHGAR1-01 AR SAC-MPP-3BCHGBR1-01 BR SAC-MPP-3BCHGAU1-01 AU SAC-MPP-3BCHGCN1-01 CN SAC-MPP-3BCHGIN1-01 IN</p>	<p>Dock and charge up to three PowerPrecision+ Li-Ion printer batteries at a time. The 3-slot battery charger ships with a power supply and line cord. Select the part number with the appropriate line cord for your region.</p> <p>NOTE: Works with both standard and extended battery packs.</p>
 <p>Dual 3-Slot Battery Charger Connected via Y Cable</p> <p>COMPATIBLE PRINTERS: ZQ510, ZQ520, ZQ610, ZQ620, ZQ610 HC, ZQ620 HC, QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC, ZQ510, ZQ520</p>	<p>SAC-MPP-6BCHUS1-01 US SAC-MPP-6BCHGEU1-01 EU SAC-MPP-6BCHUK1-01 UK SAC-MPP-6BCHAR1-01 AR SAC-MPP-6BCHBR1-01 BR SAC-MPP-6BCHAU1-01 AU SAC-MPP-6BCHCN1-01 CN SAC-MPP-6BCHIN1-01 IN</p>	<p>Dock and charge up to six PowerPrecision+ Li-Ion printer batteries at a time. The dual 3-slot battery charger ships with a power supply, Y-Cable and country specific power cord. Select the part number with the appropriate line cord for your region.</p> <p>NOTE: Works with both standard and extended battery packs.</p>
 <p>Shared Cradle</p> <p>COMPATIBLE PRINTERS: ZQ510, ZQ520, ZQ610, ZQ620, ZQ610 HC, ZQ620 HC, QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC, ZQ510, ZQ520</p>	<p>SKU's, price and lead time to be provided by CAG (Custom Applications Group). Contact CAG team for more information.</p>	<p>3-slot battery charger for ZQ600, QLn and ZQ500 Series batteries plus three slots to charge TC70 mobile computers (charging cups).</p>
 <p>Battery Eliminator Dummy Battery Pack</p> <p>COMPATIBLE PRINTERS: ZQ510, ZQ520, ZQ610, ZQ620, QLn220, QLn320</p>	<p>P1063406-032</p>	<p>Battery eliminator dummy battery pack allows users to connect printers directly to forklift or vehicle power without using battery as consumable product. Must be ordered with open-ended or vehicle lighter adapter power supply.</p>
 <p>Battery Eliminator Vehicle Cradle</p> <p>COMPATIBLE PRINTERS: ZQ510, ZQ520</p>	<p>P1063406-061</p>	<p>Battery eliminator cradle enables the printer to be powered directly from the vehicle, without a battery as a consumable. Eliminates need to replace the battery over the life of the printer. Printer can easily be undocked at the end of a shift. Must be ordered with a battery eliminator power supply option.</p>

ZQ500 Series Mobile Printers





Chargers, Power Supplies, Cradles and Mounting (continued)

Accessory	Part Number	Description
 <p>Battery Eliminator Power Supply COMPATIBLE PRINTERS: ZQ510, ZQ520, ZQ610, ZQ620, QLn220, QLn320, QLn420</p>	<p>P1063406-133 (lighter adapter) P1050667-142 (open ended)</p>	<p>12-48V DC Power supply options to mate with the ZQ600, QLn and ZQ500 Series battery eliminator options.</p>
 <p>15-60V DC Power Supply (Barrel jack / open ended) COMPATIBLE PRINTERS: ZQ510, ZQ520, ZQ610, ZQ620, ZQ610 HC, ZQ620 HC, QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC, P4T</p>	<p>AK18913-003 (barrel jack connector)</p>	<p>15-60V DC power supply with barrel jack connector. Connects directly to ZQ600, QLn and ZQ500 Series. Open ended wires for charging the printer on a forklift.</p>
 <p>12-24V DC Power Supply COMPATIBLE PRINTERS: ZQ510, ZQ520, ZQ610, ZQ620, QLn220, QLn320, QLn420</p>	<p>P1063406-030 (open ended, 12-24V, for use with or without cradle) P1063406-031 (lighter adapter, 12-24V, for use with or without cradle)</p>	<p>12-24V DC power supply charges the printer via vehicle open-ended or vehicle lighter power adapter. Connects to barrel jack on printer, or on the vehicle / single slot printer charging cradle</p>
 <p>AC Adapter COMPATIBLE PRINTERS: ZQ510, ZQ520, ZQ610, ZQ620, QLn220, QLn320, QLn420</p>	<p>P1031365-083 AR P1031365-043 AU P1031365-039 BR P1031365-040 CN P1031365-042 EU/CL P1031365-032 IL P1081280-008 IN P1031365-094 JP P1031365-093 TW P1031365-041 UK P1031365-024 US</p>	<p>Connect the printer (or charging cradle) to AC power to charge the printer's internal battery.</p> <p>NOTE: Printer sold separately.</p>
 <p>4-Slot Power Station COMPATIBLE PRINTERS: ZQ510, ZQ520</p>	<p>P1063406-056 AR P1063406-054 AU P1063406-055 BR P1063406-057 CN P1063406-053 EU/CH P1081280-011 IN P1063406-058 JP P1063406-052 UK P1063406-027 US</p>	<p>Docks and charges up to four ZQ500 Series printers simultaneously. Supports printers in the exoskeleton and with / without extended battery. Power supply ships with the 4-Slot Power Station. Select the part number with the appropriate line cord option for your region.</p> <p>NOTE: Printer sold separately.</p>
 <p>Vehicle Cradle COMPATIBLE PRINTERS: ZQ510, ZQ520</p>	<p>P1063406-062</p>	<p>Dock and charge a single ZQ500 Series printer on a tabletop/countertop or mount in a vehicle / on a forklift. Must be ordered with an open ended, vehicle lighter adapter or AC adapter. Meets IP43-rating for additional protection from liquids and spills.</p> <p>Compatible with ZQ500 Series printers with or without extended battery and with or without exoskeleton.</p> <p>Can be mounted with RAM mounting arm. Requires specific driver for connecting via USB.</p>
 <p>D-Ring Adapter Kit COMPATIBLE PRINTERS: ZQ510, ZQ520</p>	<p>P1063406-026</p>	<p>Attaches to the ZQ500 Series vehicle cradle to enable use with installed Datamax O'Neil e-charge brackets. Plastic female half-moon part allows users to attach vehicle cradle to existing Datamax O'Neil brackets.</p>

ZQ500 Series Mobile Printers



Chargers, Power Supplies, Cradles and Mounting (continued)







Accessory	Part Number	Description
 <p>Dual Charging Vehicle Adapter COMPATIBLE PRINTERS: ZQ510, ZQ520</p>	VAM-MPP-VHCH1-01	Charges a ZQ500 Series mobile printer and a TC70 or TC75 mobile computer simultaneously via the vehicle lighter power adapter.
 <p>RAM Mount Arm COMPATIBLE PRINTERS: ZQ510, ZQ520</p>	AK17463-002	Adjustable arm which can attach to the ZQ500 Series mounting plate or vehicle cradle to allow the user to change the orientation of the printer.
 <p>Mounting Plate COMPATIBLE PRINTERS: ZQ510, ZQ520</p>	P1063406-042	Allows the printer to be fix-mounted in a vehicle with or without battery eliminator. Attaches to RAM mount arm. Not required when using the Vehicle Cradle and RAM Mount Arm.
 <p>Vehicle Cradle Adapter (6") COMPATIBLE PRINTERS: ZQ510, ZQ520</p>	P1063406-034	Enables ZQ500 Series cradle to be attached to legacy RW vehicle cradle installations without rewiring the vehicle power supply. Legacy RAM arms are compatible with ZQ500 Series printers via this adapter.



ZQ500 Series Mobile Printers





Carrying and Protection Options

Accessory	Part Number	Description
 <p>Exoskeleton</p> <p>COMPATIBLE PRINTERS: ZQ510, ZQ520</p>	<p>P1063406-043 (ZQ510) P1063406-044 (ZQ520)</p>	<p>Increase drop specification to 3m/10', seals off ports, and increases to IP65 rating for extreme-use environments. Can be used with single and extended battery packs, 4-slot printer power station and single slot charging cradle.</p> <p>NOTE: Printer sold separately.</p>
 <p>Durability Enhancing Case with Shoulder Strap (56")</p> <p>COMPATIBLE PRINTERS: ZQ510, ZQ520</p>	<p>P1063406-038 (ZQ510) P1063406-037 (ZQ520)</p>	<p>Add an extra layer of protection for harsh environments with a soft case. Battery (including extended pack) and ports remain accessible via flaps. Cannot be used with printer belt clip or MCR. Shoulder strap included.</p> <p>NOTE: Printer sold separately.</p>
 <p>2-Roll Media Storage Case</p> <p>COMPATIBLE PRINTERS: ZQ510, ZQ520</p>	<p>P1063406-039</p>	<p>Carries two rolls of spare ZQ500 Series printers media. Attaches between the RAM arm and Vehicle Cradle.</p>
 <p>Shoulder Strap (56")</p> <p>COMPATIBLE PRINTERS: ZQ510, ZQ520, P4T</p>	<p>P1051921</p>	<p>Offers over-the-shoulder carrying option. Connects with plastic attachment clips.</p>
 <p>Rugged Shoulder Strap (56")</p> <p>COMPATIBLE PRINTERS: ZQ510, ZQ520, P4T</p>	<p>P1063406-035</p>	<p>Offers over-the-shoulder carrying option. Connects with metal attachment clips.</p>
 <p>Hand Strap (8")</p> <p>COMPATIBLE PRINTERS: ZQ510, ZQ520</p>	<p>BT16899-1</p>	<p>Hand strap which allows the printer to be carried by hand, like a toolbox.</p>

ZQ500 Series Mobile Printers






Carrying and Protection Options (continued)

Accessory	Part Number	Description
 <p>Spare Belt Clip (quantity 5) COMPATIBLE PRINTERS: ZQ510, ZQ520</p>	P1063406-040	Replacement belt clips for the ZQ500 Series standard belt clip.
 <p>Swivel Belt Loop COMPATIBLE PRINTERS: ZQ510, ZQ520</p>	P1063406-041	Alternative to a standard belt clip. One piece connects to the user's belt and one piece (D-Ring Adapter Belt Attachment) attaches in lieu of the belt clip on the ZQ500 Series, so you can easily attach and rotate the printer to the hip.





Cables and Other Accessories

Accessory	Part Number	Description
 <p>USB Cable with Twist Lock (6' or 12') COMPATIBLE PRINTERS: ZQ510, ZQ520</p>	P1063406-045 (6') P1063406-146 (12')	USB cable for connecting the ZQ500 Series printer or vehicle / single slot printer charging cradle to PCs / laptops. Prevents USB cable breakage via hard plastic twist lock.
 <p>USB Micro A / B to USB A Converter (6") COMPATIBLE PRINTERS: ZQ510, ZQ520</p>	P1063406-047	Adapter cable for connecting USB memory sticks or other traditional USB A devices to the printer.
 <p>Encrypted Magnetic Stripe Reader Module COMPATIBLE PRINTERS: ZQ510, ZQ520</p>	P1063406-021 (ZQ510) P1072539-014 (ZQ520)	Magnetic stripe reader attaches to the printer to allow reading of magnetic stripe cards. Encryption keys can be loaded via the Zebra Custom Solutions Group.

ZQ500 Series Mobile Printers



Cables and Other Accessories (continued)

Accessory	Part Number	Description
 <p>Type-A USB to Serial DB9 Cable COMPATIBLE PRINTERS: ZQ510, ZQ520</p>	P1063406-049	USB to Serial Converter Adapter cable for use with the ZQ500 Series Vehicle Cradle or Battery Eliminator Cradle where connection to a serial device is required. (Allows backwards compatibility for customers migrating from RW vehicle cradles with serial port).
 <p>Adapter Discs COMPATIBLE PRINTERS: ZQ510, ZQ520</p>	P1063406-025	Alternate discs for use in the ZQ500 Series media slot. These Adapter discs support smaller media cores .5" (13mm) for customers migrating from competitive products. The standard ZQ500 Series printers ship with .75" (19mm) media roll core discs. 3 pairs of discs included per package.






ZQ300 Series Mobile Printers



Batteries

Accessory	Part Number	Description
 <p>PowerPrecision+ 2280 mAH Li-Ion Rechargeable Battery</p> <p>COMPATIBLE PRINTERS: ZQ310, ZQ320</p>	<p>BTRY-MPM-22MA1-01</p>	<p>Spare ZQ300 Series printer battery.</p> <p>NOTE: One battery ships with the printer.</p> <p>BATTERY CAPACITY: 2280 mAh</p>







Chargers, Power Supplies, Cradles and Mounting

Accessory	Part Number	Description
 <p>5-Slot Docking Charger</p> <p>COMPATIBLE PRINTERS: ZQ310, ZQ320</p>	<p>CRD-MPM-5SCHGEU1-01 EU CRD-MPM-5SCHGUK1-01 UK CRD-MPM-5SCHGUS1-01 US</p>	<p>Dock and charge up to five printers simultaneously. This accessory ships complete with power supply and power cord. Select the part number with the appropriate line cord option for your region.</p>
 <p>3-Slot Battery Charger</p> <p>COMPATIBLE PRINTERS: ZQ310, ZQ320</p>	<p>SAC-MPM-3BCHGEU1-01 EU SAC-MPM-3BCHGUK1-01 UK SAC-MPM-3BCHGUS1-01 US</p>	<p>Dock and charge up to three PowerPrecision+ Li-Ion printer batteries at a time. The 3-slot battery charger ships with a power supply and line cord. Select the part number with the appropriate line cord for your region.</p>
 <p>1-Slot Docking Cradle</p> <p>COMPATIBLE PRINTERS: ZQ310, ZQ320</p>	<p>CRD-MPM-1SCHGAU1-01 AU CRD-MPM-1SCHGBR1-01 BR CRD-MPM-1SCHGCN1-01 CN CRD-MPM-1SCHGEU1-01 EU CRD-MPM-1SCHGKR1-01 KR CRD-MPM-1SCHGUS1-01 US CRD-MPM-1SCHGUK1-01 UK</p>	<p>Dock and charge a single printer. This accessory ships with a USB cable and a AC to USB adapter. Select the part number with the appropriate plug for the AC to USB adapter.</p>
 <p>1-Slot Battery Charger</p> <p>COMPATIBLE PRINTERS: ZQ310, ZQ320</p>	<p>SAC-MPM-1BCHGAU1-01 AU SAC-MPM-1BCHGBR1-01 BR SAC-MPM-1BCHGCN1-01 CN SAC-MPM-1BCHGEU1-01 EU SAC-MPM-1BCHGKR1-01 KR SAC-MPM-1BCHGUK1-01 UK SAC-MPM-1BCHGUS1-01 US</p>	<p>Docks and charges a single PowerPrecision+ Li-Ion battery. Integrated power supply. Ships with line cord. Select the part number with the appropriate line cord for your region.</p>

ZQ300 Series Mobile Printers





Chargers, Power Supplies, Cradles and Mounting (continued)

Accessory	Part Number	Description
 <p>Shared Cradle COMPATIBLE PRINTERS: ZQ310, ZQ320</p>	<p>SKU's, price and lead time to be provided by CAG (Custom Applications Group). Contact CAG team for more information.</p>	<p>3-slot battery charger for ZQ300 batteries plus three slots to charge TC51 / TC56 mobile computers (charging cups).</p>
 <p>AC to USB Adapter COMPATIBLE PRINTERS: ZQ310, ZQ320</p>	<p>PWR-WUA5V12W0AU AU PWR-WUA5V12W0BR BR PWR-WUA5V12W0CN CN PWR-WUA5V12W0EU EU PWR-WUA5V12W0IN IN PWR-WUA5V12W0KR KR PWR-WUA5V12W0GB UK PWR-WUA5V12W0US US</p>	<p>Use this AC to USB Adapter to charge your printer. Select the part number with the appropriate line cord for your region.</p>
 <p>Vehicle Lighter Power to USB Adapter COMPATIBLE PRINTERS: ZQ310, ZQ320</p>	<p>CHG-AUTO-USB1-SPG</p>	<p>Charges the printer via the vehicle lighter power adapter. USB connection to printer; cable sold separately.</p>
 <p>Dual Charging Vehicle Adapter COMPATIBLE PRINTERS: ZQ310, ZQ320</p>	<p>VAM-MPM-VHCH1-01</p>	<p>Use this vehicle adapter to charge your printer and a TC51 or TC56 mobile computer, simultaneously. Includes open ended and vehicle lighter adapter cables.</p>

ZQ300 Series Mobile Printers



Chargers, Power Supplies, Cradles and Mounting (continued)




Accessory	Part Number	Description
 <p>Vehicle Holder – Dashboard COMPATIBLE PRINTERS: ZQ310, ZQ320</p>	<p>MNT-MPM-VHDRD1-01</p>	<p>Attach the printer to the dashboard with this printer vehicle holder.</p>
 <p>Vehicle Holder – Windshield COMPATIBLE PRINTERS: ZQ310, ZQ320</p>	<p>MNT-MPM-VHDRW1-01</p>	<p>Attach the printer to the windshield with this printer vehicle holder.</p>



ZQ300 Series Mobile Printers






Carrying and Protection Options

Accessory	Part Number	Description
 <p>Soft Case with Shoulder Strap COMPATIBLE PRINTERS: ZQ310, ZQ320</p>	<p>SG-MPM-SC21-01 (ZQ310) SG-MPM-SC31-01 (ZQ320)</p>	<p>This soft case allows for easy attaching/detaching for wearability. Includes shoulder strap.</p>
 <p>Shoulder Strap COMPATIBLE PRINTERS: ZQ310, ZQ320</p>	<p>SG-MPM-SS231-01</p>	<p>Easily carry the printer over the shoulder with this comfortable rugged shoulder strap.</p>
 <p>Belt Clip COMPATIBLE PRINTERS: ZQ310, ZQ320</p>	<p>KIT-MPM-BLTCLP5-01</p>	<p>Replacement belt clip (one belt clip ships with the printer); package of 5.</p>



Cables and Other Accessories



Accessory	Part Number	Description
 <p>USB Cable COMPATIBLE PRINTERS: ZQ310, ZQ320</p>	<p>CBL-MPM-USB1-01</p>	<p>Spare USB Type A to Type C cable. Use this cable with the AC-USB Adapter or the Vehicle Lighter Adapter to charge your printer. Printer includes one cable.</p>
 <p>Platen Roller COMPATIBLE PRINTERS: ZQ310, ZQ320</p>	<p>KIT-MPM-PLTRLR1-01</p>	<p>Replace your ZQ300 Series platen roller.</p>
 <p>Media Spacer COMPATIBLE PRINTERS: ZQ310, ZQ320</p>	<p>KIT-MPM-MD2SPR5-01 (ZQ310) KIT-MPM-MDSPR5-01 (ZQ320)</p>	<p>Spacers for the ZQ300 Series media compartment (5 sets; 2 per set)</p>



ZQ110 Series Mobile Printers






Batteries

Description	Part Number	Description
 <p>1200 mAh Li-Ion Rechargeable Battery COMPATIBLE PRINTERS: ZQ110</p>	<p>P1070125-008 Global P1070125-056 KR</p>	<p>Standard printer battery for ZQ110. BATTERY CAPACITY: 1200 mAh</p>
 <p>1200 mAh Li-Ion Rechargeable Battery with Outer Contacts COMPATIBLE PRINTERS: ZQ110</p>	<p>P1070125-007 Global P1070125-055 KR</p>	<p>Battery with outer contacts for ZQ110 (required for charging the printer in the quad docking cradle or single docking cradle). BATTERY CAPACITY: 1200 mAh</p>



Chargers, Power Supplies, Cradles and Mounting

Description	Part Number	Description
 <p>Quad Battery Charger COMPATIBLE PRINTERS: ZQ110</p>	<p>P1070125-006 AU P1070125-003 EU P1070125-015 JP P1070125-004 UK P1070125-002 US</p>	<p>Docks and charges up to four ZQ110 Li-Ion batteries at a time. ZQ110 batteries with and without external charging contacts can be charged in this Quad Battery Charger. Power supply ships with the charger. Select the part number with the appropriate line cord option for your region.</p>
 <p>Single Battery Charger COMPATIBLE PRINTERS: ZQ110</p>	<p>P1070125-001</p>	<p>Docks and charges a single ZQ110 battery. AC Adapter/line cord ships in printer box.</p>
 <p>12-24V DC Power Supply COMPATIBLE PRINTERS: ZQ110</p>	<p>P1070125-009</p>	<p>Charges printer via vehicle lighter power adapter. Connects to barrel jack on printer.</p>



Accessories that work as hard as you

We know that you work hard and expect your products to do the same. Our mobile printer accessories provide you the peace of mind you need to get the job done. We offer extended batteries for those longer shifts, durability enhancing cases for extra protection and a variety of charging options to meet your needs.

ZQ110 Series Mobile Printers







Chargers, Power Supplies, Cradles and Mounting (continued)

Description	Part Number	Description
 <p>AC Adapter COMPATIBLE PRINTERS: ZQ110</p>	<p>P1070125-028</p>	<p>Spare AC Adapter to connect the ZQ110 printer, single docking cradle, or single battery charger to AC power to charge the printer's internal battery. Line cord ordered separately.</p>
 <p>Spare AC Adapter COMPATIBLE PRINTERS: ZQ110</p>	<p>P1070125-057</p>	<p>Spare AC Adapter for quad battery charger is intended as a repair/replacement power supply for already deployed ZQ110 quad docking cradle and quad battery chargers.</p>
 <p>Line Cord COMPATIBLE PRINTERS: ZQ110</p>	<p>P1070125-020 AU P1070125-025 BR P1070125-019 EU P1070125-026 JP P1070125-024 KR P1070125-023 UK P1070125-018 US</p>	<p>Spare line cord for ZQ110 AC Adapter.</p>
 <p>Quad Docking Cradle COMPATIBLE PRINTERS: ZQ110</p>	<p>P1070125-033 AU P1070125-030 EU P1070125-012 JP P1070125-031 UK P1070125-029 US</p>	<p>Docks and charges up to four ZQ110 Series printers simultaneously. Power supply ships with the Quad Docking Cradle. Select the part number with the appropriate line cord option for your region. Only ZQ110 printers with batteries with external charging contacts can be charged in this Quad Docking Cradle.</p>
 <p>Single Docking Cradle COMPATIBLE PRINTERS: ZQ110</p>	<p>P1070125-036</p>	<p>Dock and charge a single ZQ110 printer on a tabletop/countertop surface. Only ZQ110 printers with batteries with external charging contacts can be charged in this charging cradle. AC Adapter/line cord ships in printer box.</p>
 <p>Single Slot Non-Charging Cradle COMPATIBLE PRINTERS: ZQ110</p>	<p>P1070125-034</p>	<p>Docks and secures the ZQ110 for in-vehicle use.</p>

ZQ110 Series Mobile Printers




Carrying and Protection Options

Description	Part Number	Description
 <p>Durability Enhancing Case COMPATIBLE PRINTERS: ZQ110</p>	P1070125-016	<p>Add an extra layer of protection for harsh environments with a soft case. While in the case, the printer is IP54-rated for resistance to windblown water and dust.</p> <p>NOTE: Printer and shoulder strap sold separately.</p>
 <p>Shoulder Strap COMPATIBLE PRINTERS: ZQ110</p>	P1070125-035	Shoulder strap for used with durability enhancing case.
 <p>Velcro Belt Strap COMPATIBLE PRINTERS: ZQ110</p>	P1070125-037	Alternative to standard belt clip which uses hook and loop clasp for ZQ110.
 <p>Spare Belt Clip (quantity 1) COMPATIBLE PRINTERS: ZQ110</p>	P1070125-027	Replacement belt clip for the ZQ110.



Cables and Other Accessories

Description	Part Number	Description
 <p>USB Cable COMPATIBLE PRINTERS: ZQ110</p>	P1060264	Connect ZQ110 to a laptop for setup/configuration via this USB cable.

Accessories for discontinued printers

Zebra is always looking for ways to better serve our customers, which is why we continue to offer accessories with our discontinued printers – P4T, RW Series and iMZ Series. However, in order to benefit from the latest accessory enhancements Zebra offers, we would suggest you look at replacing your discontinued printer with its newest replacement.

RW Series - replaced with the new ZQ500 Series
iMZ Series - replaced with the new ZQ300 Series



Accessories for discontinued mobile printers



P4T Mobile Printer

The industry's only thermal transfer mobile printer, the P4T enables you to print long-life barcode labels and documents up to 4" wide, wherever and whenever they're needed, to better track data and assets.



RW Series Mobile Printers

The RW series printers are designed specifically for the mobile workforce. User-friendly features and design allow the mobile user to print invoices and receipts quickly and efficiently – minimizing downtime and maximizing return on investment.



iMZ Series Mobile Printers


These mid-range printers have the features you need, in the design you want, for the price you can afford. With the latest connectivity options, the iMZ printers are perfect for applications both inside and outside the four walls. With the small, stylish design, they work well in customer facing environments and are compatible with the latest smartphone and tablet operating systems.



P4T Mobile Printers




Batteries

Description	Part Number	Description
 <p>4200 mAh Li-Ion Rechargeable Battery COMPATIBLE PRINTERS: P4T</p>	AK18913-001	<p>Standard printer battery for P4T printers.</p> <p>BATTERY CAPACITY: 4200 mAh</p>



Chargers, Power Supplies, Cradles and Mounting






Description	Part Number	Description
 <p>Battery AC Charger COMPATIBLE PRINTERS: P4T</p>	<p>AT18737-17 AR AT18737-4 AU AT18737-18 BR (includes IEC 60320 type C7 connector and country-specific power cord) AT18737-3 EU P1081280-006 IN AT18737-2 UK AT18737-1 US/JP AT18737-6 (For use in countries with an unsupported AC plug. Use with locally sourced AC cable with IEC 60320 type C7 connector.)</p>	<p>Charges printer battery via a wall outlet.</p>



P4T Mobile Printers



Chargers, Power Supplies, Cradles and Mounting (continued)

Description	Part Number	Description
 <p>Li-ion Quad Battery Charger</p> <p>COMPATIBLE PRINTERS: P4T, QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC, ZQ510, ZQ520</p>	<p>AC18177-8 AR AC18177-3 AU AC18177-9 BR AC18177-4 CN AC18177-2 EU P1081280-004 IN AC18177-7 JP (with PSE power cord) AC18177-6 MX/Central/South America AC18177-1 UK AC18177-5 US</p>	<p>Docks and charges up to four PowerPrecision Li-Ion printer batteries at a time. Supports both standard and extended batteries. Power supply ships with the Li-ion Quad Battery Charger. Select the part number with the appropriate line cord option for your region.</p>
 <p>Li-ion Smart Battery Charger (SC2)</p> <p>COMPATIBLE PRINTERS: P4T, QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC, ZQ510, ZQ520</p>	<p>P1031365-089 AR P1031365-066 AU P1031365-067 BR P1031365-068 CN P1031365-065 EU/CL P1031365-088 IL P1081280-003 IN P1031365-096 JP P1031365-095 TW P1031365-063 US P1031365-064 UK</p>	<p>Docks and charges a single battery. Monitors and alerts on battery health. Supports both standard and extended batteries.</p>
 <p>Replacement Power Supply for Li-ion Quad Battery Charger</p> <p>COMPATIBLE PRINTERS: P4T, QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC, ZQ510, ZQ520</p>	<p>P1058390-1 P1058390-2 (without cord)</p>	<p>Replacement Power Supply for Li-ion Quad Battery Charger is intended as a repair/replacement power supply for already deployed Li-ion Quad Battery Charger.</p>
 <p>12V DC Power Supply</p> <p>COMPATIBLE PRINTERS: P4T</p>	<p>P1031359</p>	<p>Charges printer via vehicle lighter adapter. Connects to barrel jack on printer.</p>
 <p>15-60V DC Power Supply (Barrel jack/open ended)</p> <p>COMPATIBLE PRINTERS: P4T, QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC, ZQ510, ZQ520, ZQ610, ZQ620</p>	<p>AK18913-003 (barrel jack connector)</p>	<p>15-60V DC power supply with barrel jack connector. Connects directly to ZQ500 and QLn Series. Open ended wires for charging the printer on a forklift.</p> <p>NOTE: For P4T, power supply is for use when plugging directly into the printer when being used on a forklift</p>
<p>15-60V DC Vehicle Cradle Power Supply (open ended)</p> <p>COMPATIBLE PRINTERS: P4T</p>	<p>AK18913-015 (cradle connector: for use with vehicle cradle on forklifts)</p>	<p>15-60V DC power supply for P4T vehicle cradle with open ended wires for charging the printer on a forklift.</p>

P4T Mobile Printers






Chargers, Power Supplies, Cradles and Mounting (continued)

Description	Part Number	Description
 <p>AC Adapter COMPATIBLE PRINTERS: P4T</p>	AK18913-002	Connect the printer (or charging cradle) to AC power to charge the printer's internal battery
 <p>RAM Mount Arm COMPATIBLE PRINTERS: P4T, QLn420</p>	P1010338	Attaches to the QLn420 or P4T single slot cradle for flexible mounting orientation COMMONLY BUNDLED ITEMS: P1050667-026 Vehicle Charging Cradle
 <p>Single Slot Printer Charging Cradle COMPATIBLE PRINTERS: P4T</p>	P1005317-003 (with vehicle lighter adapter) P1005317-004 (with open ended cable)	Dock and charge a single P4T printer on a tabletop/countertop or mount in a vehicle/ on a forklift. Select the appropriate PN with vehicle lighter adapter or open ended cable. NOTE: 12V. RAM arm kit is optional and sold separately.
 <p>Mobile Mount Kit COMPATIBLE PRINTERS: P4T</p>	AK18926-3	Heavy duty, shock-absorbing mounting kit with U-Arm Bracket and fanfold bin for external media use. NOTE: Printer not included.
 <p>Handi-Mount COMPATIBLE PRINTERS: P4T</p>	AK18926-1 (with base plate) AK18926-2 (without base plate)	More compact mounting option for the P4T with a RAM arm and mounting plate. Available with or without a base plate. NOTE: Printer not included.
 <p>Spare Fanfold Bin COMPATIBLE PRINTERS: P4T, QLn420</p>	AN16618-1	Spare fanfold media storage bin for use with QLn420 and P4T mobile mount kits (with external media, media spacer and mounting hardware).

P4T Mobile Printers



Carrying and Protection Options

Description	Part Number	Description
 <p>Durability Enhancing Case COMPATIBLE PRINTERS: P4T</p>	AK18924-1	Add an extra layer of protection for harsh environments with a soft case. While in the case, the printer is IP54-rated for resistance to windblown water and dust. Shoulder strap ordered separately.
 <p>Shoulder Strap (56") COMPATIBLE PRINTERS: P4T, ZQ510, ZQ520</p>	P1051921	Offers over-the-shoulder carrying option. Connects with plastic attachment clips.
 <p>Rugged Shoulder Strap (56") COMPATIBLE PRINTERS: P4T, ZQ510, ZQ520</p>	P1063406-035	Offers over-the-shoulder carrying option. Connects with metal attachment clips.







RW Series Mobile Printers







Batteries

Description	Part Number	Description
 <p>2 Cell Li-Ion Battery COMPATIBLE PRINTERS: RW220</p>	AK18026-002	Spare printer battery for use with the RW220 printer.
 <p>4 Cell Li-Ion Battery COMPATIBLE PRINTERS: RW420</p>	AK17463-005	Spare printer battery for use with the RW420 printer.









Chargers, Power Supplies, Cradles and Mounting

Description	Part Number	Description
 <p>AC Charger COMPATIBLE PRINTERS: RW220, RW420</p>	AT18737-1 US AT18737-2 UK AT18737-3 EU AT18737-4 AU AT18737-6 (For countries with an unsupported AC plug) AT18737-17 AR AT18737-18 BR	Wall charger for charging the battery inside the printer.
 <p>4-Slot Charging Cradle COMPATIBLE PRINTERS: RW420</p>	AK18618-1 US AK18618-2 EU AK18618-3 UK	Dock and charge up to four RW420 printers simultaneously. NOTE: Printer not included.
 <p>RW RAM Arm COMPATIBLE PRINTERS: RW220, RW420</p>	AK17463-002	RAM arm allows for flexible mounting of RW series vehicle cradles.
 <p>Battery Eliminator COMPATIBLE PRINTERS: RW220, RW420</p>	P1003772-003 (Lighter adapter) P1003772-004 (Open ended)	Enables the printer to be powered directly from the vehicle, without a battery as a consumable.

RW Series Mobile Printers





Chargers, Power Supplies, Cradles and Mounting (continued)

Description	Part Number	Description
 <p>Battery Eliminator RAM Mount Kit</p> <p>COMPATIBLE PRINTERS: RW420</p>	P1011898	Includes mounting plate and RAM arm for mounting the RW420 when used with a battery eliminator.
 <p>Li-ion Quad Battery Charger</p> <p>COMPATIBLE PRINTERS: QL, RW220, RW420, P4T, QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC, ZQ510, ZQ520</p>	AC18177-8 AR AC18177-3 AU AC18177-9 BR AC18177-4 CN AC18177-2 EU P1081280-004 IN AC18177-7 JP (with PSE power cord) AC18177-6 MX/Central/South America AC18177-1 UK AC18177-5 US	Docks and charges up to four PowerPrecision Li-Ion printer batteries at a time. Supports both standard and extended batteries. Power supply ships with Quad Battery Charger. Select the part number with the appropriate line cord option for your region.
 <p>RW420 Vehicle Charging Cradle with Cable</p> <p>COMPATIBLE PRINTERS: RW420</p>	AK18178-1 (with lighter adapter) AK18178-2 (Open ended cable)	RW420 vehicle cradle enables the printer to be charged from the vehicle via vehicle lighter adapter. Printer can easily be undocked at the end of a shift. NOTE: RAM arm and mounting plate sold separately.
 <p>Spare Power Supply for Quad Battery Charger with US Cord</p> <p>COMPATIBLE PRINTERS: QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC, ZQ510, ZQ520, P4T</p>	P1058390-1	Replacement Power Supply for Li-ion Quad Battery Charger is intended as a repair/replacement power supply for already deployed Li-ion Quad Battery Charger. Ships with US line cord.
 <p>Spare Power Supply for Quad Battery Charger without Cord</p> <p>COMPATIBLE PRINTERS: QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC, ZQ510, ZQ520, P4T</p>	P1058390-2	Replacement Power Supply for Li-ion Quad Battery Charger is intended as a repair/replacement power supply for already deployed Li-ion Quad Battery Charger. No line cord.
 <p>Li-Ion DC / DC Power Supply (for vehicle charging without the cradle)</p> <p>COMPATIBLE PRINTERS: QL, RW220, RW420, P4T</p>	CC16614-G1 (12VDC open ended) CC16614-G2 (9-30VDC) CC16614-G3 (30-60VDC) CC16614-G9 (12 VDC- Lighter adapter)	DC power supply charges the printer via vehicle. Connects to barrel jack on printer.

RW Series Mobile Printers



Carrying and Protection Options

Description	Part Number	Description
 <p>RW220 Soft Case COMPATIBLE PRINTERS: RW220</p>	AK18026-001	Add an extra layer of protection for harsh environments with a soft case. NOTE: Printer not included.
 <p>RW420 Soft Case COMPATIBLE PRINTERS: RW420</p>	AK17463-001	Add an extra layer of protection for harsh environments with a soft case. NOTE: Printer not included.
 <p>RW Shoulder Strap COMPATIBLE PRINTERS: RW220, RW420</p>	P1051921	Offers over-the-shoulder carrying option.
<p>RW Belt Clips (quantity 5) COMPATIBLE PRINTERS: RW220, RW420</p>	AK17393-022	Replacement belt clips for the RW Series printer.
 <p>RW Hand Strap COMPATIBLE PRINTERS: RW220, RW420</p>	BT16899-1	Hand strap which allows the printer to be carried by hand, like a toolbox.



Cables and Other Accessories


Description	Part Number	Description
<p>RW USB-A to USB Mini-B USB Cable (for setup and configuration only) COMPATIBLE PRINTERS: RW220, RW420</p>	AT17010-1	Connect the RW printer to a laptop via this USB cable.
<p>USB-A to RJ-45 Strain-Relief Cable (6') COMPATIBLE PRINTERS: RW220, RW420</p>	AK18666-2	Strain-relief data transfer via USB (for regular serial comms). Not for use with Battery Eliminator.
<p>Serial, RJ-45, Interlocking PC Cable COMPATIBLE PRINTERS: RW220, RW420</p>	AK17463-008	Strain-relief serial cable.



iMZ Series Mobile Printers



Batteries

Accessory	Part Number	Description
 <p>1600 mAh Li-Ion Rechargeable Battery COMPATIBLE PRINTERS: iMZ220, iMZ320</p>	AK18353-1	Standard printer battery for MZ and iMZ printers. BATTERY CAPACITY: 1600 mAh







Chargers, Power Supplies, Cradles and Mounting

Accessory	Part Number	Description
 <p>12V DC Power Supply COMPATIBLE PRINTERS: iMZ220, iMZ320</p>	AK18356-2	Charges printer via vehicle lighter power adapter. Connects to barrel jack on printer. NOTE: Printer not included.
 <p>AC Adapter (iMZ220, iMZ320) COMPATIBLE PRINTERS: iMZ220, iMZ320</p>	AK18355-103 AR AK18355-104 AU AK18355-109 BR AK18355-102 CN AK18155-105 EU AK18355-108 IL P1036704-116 IN AK18355-107 KR AK18355-106 UK/SG AK18355-101 US/JP	Connect the iMZ printer to AC power to charge the printer's internal battery.
 <p>4-Slot Power Station COMPATIBLE PRINTERS: iMZ220, iMZ320</p>	AK18342-3 AR AK18342-4 AU AK18342-10 BR AK18342-2 CN AK18342-5 EU P1081280-001 IN AK18342-7 KR AK18342-8 SG AK18342-6 UK AK18342-1 US	Docks and charges up to four iMZ Series printers simultaneously. Power supply ships with the 4-Slot Power Station. Select the part number with the appropriate line cord option for your region.
 <p>Single Slot Charging Cradle COMPATIBLE PRINTERS: iMZ220, iMZ320</p>	P1051289	Dock and charge a single iMZ printer on a tabletop/countertop surface. AC Adapter/line cord ships in printer box.

iMZ Series Mobile Printers



Carrying and Protection Options

Accessory	Part Number	Description
 <p>Silicone Skin COMPATIBLE PRINTERS: iMZ220, iMZ320</p>	<p>AK18354-1 (iMZ220) AK18435-1 (iMZ320)</p>	<p>These optional silicone skins add a layer of protection and improve the handling of your iMZ series printer.</p> <p>NOTE: Includes shoulder strap, printer not included.</p>
 <p>Durability Enhancing Case COMPATIBLE PRINTERS: iMZ220, iMZ320</p>	<p>AK18851-2 (iMZ220) AK18842-2 (iMZ320)</p>	<p>Add an extra layer of protection for harsh environments with a soft case. While in the case, the printer is IP54-rated for resistance to windblown water and dust. Comes with integrated loop for attaching to a belt.</p> <p>NOTE: Printer not included.</p>
 <p>D-Ring Soft Case COMPATIBLE PRINTERS: iMZ320</p>	<p>P1026511</p>	<p>Soft case has a male D-ring which allows for easy attaching/detaching for wearability. Includes a Velcro female piece to connect to the user's belt and one female mounting piece for the vehicle dash so you can easily attach and rotate the printer to the hip or the dashboard.</p> <p>NOTE: Includes D-Ring dash mount and belt loop</p>
 <p>Shoulder Strap (56") COMPATIBLE PRINTERS: iMZ220, iMZ320</p>	<p>AK18372-1</p>	<p>Offers over-the-shoulder carrying option. Connects via looping straps.</p>







**Discontinued
Accessories**



Discontinued Accessories for QLn Series Mobile Printers



Chargers, Power Supplies, Cradles and Mounting




Accessory	Part Number	Description
 <p>Li-ion Smart Battery Charger (SC2)</p> <p>COMPATIBLE PRINTERS: P4T, QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC, ZQ510, ZQ520</p>	<p>P1031365-089 AR P1031365-066 AU P1031365-067 BR P1031365-068 CN P1031365-065 EU/CL P1031365-088 IL P1081280-003 IN P1031365-096 JP P1031365-095 TW P1031365-063 US P1031365-064 UK</p>	<p>Docks and charges a single battery. Monitors and alerts on battery health. Supports both standard and extended batteries.</p>
 <p>Li-ion Quad Battery Charger</p> <p>COMPATIBLE PRINTERS: QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC, ZQ510, ZQ520, P4T</p>	<p>AC18177-8 AR AC18177-3 AU AC18177-9 BR AC18177-4 CN AC18177-2 EU P1081280-004 IN AC18177-7 JP (with PSE Power Cord) AC18177-6 MX/Central/South America AC18177-1 UK AC18177-5 US</p>	<p>Docks and charges up to four PowerPrecision Li-Ion printer batteries at a time. Supports both standard and extended batteries. Power supply ships with Quad Battery Charger. Select the part number with the appropriate line cord option for your region.</p>
 <p>Replacement Power Supply for Quad Battery Charger</p> <p>COMPATIBLE PRINTERS: QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC, ZQ510, ZQ520, P4T</p>	<p>P1058390-1 (includes US line cord) P1058390-2 (without cord)</p>	<p>Replacement Power Supply for Quad Battery Charger is intended as a repair/replacement power supply for already deployed Quad Battery Chargers.</p>



Discontinued Accessories for ZQ500 Series Mobile Printers



Chargers, Power Supplies, Cradles and Mounting

Accessory	Part Number	Description
 <p>Li-ion Smart Battery Charger (SC2)</p> <p>COMPATIBLE PRINTERS: P4T, QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC, ZQ510, ZQ520</p>	<p>P1031365-089 AR P1031365-066 AU P1031365-067 BR P1031365-068 CN P1031365-065 EU/CL P1031365-088 IL P1081280-003 IN P1031365-096 JP P1031365-095 TW P1031365-063 US P1031365-064 UK</p>	<p>Docks and charges a single battery. Monitors and alerts on battery health. Supports both standard and extended batteries.</p>
 <p>Li-ion Quad Battery Charger</p> <p>COMPATIBLE PRINTERS: ZQ510, ZQ520, QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC, P4T</p>	<p>AC18177-8 AR AC18177-3 AU AC18177-9 BR AC18177-4 CN AC18177-2 EU P1081280-004 IN AC18177-7 JP (with PSE power cord) AC18177-6 MX/Central/South America AC18177-1 UK AC18177-5 US</p>	<p>Docks and charges up to four PowerPrecision Li-Ion printer batteries at a time. Supports both standard and extended batteries. Power supply ships with the Li-ion Quad Battery Charger. Select the part number with the appropriate line cord option for your region.</p>
 <p>Replacement Power Supply for Li-ion Quad Battery Charger</p> <p>COMPATIBLE PRINTERS: ZQ510, ZQ520, QLn220, QLn320, QLn420, QLn220 HC, QLn320 HC, P4T</p>	<p>P1058390-1 (includes US line cord) P1058390-2 (without US cord)</p>	<p>Replacement Power Supply for Li-ion Quad Battery Charger is intended as a repair/replacement power supply for already deployed Li-ion Quad Battery Charger.</p>

For more information about Mobile Printer Accessories,
visit www.zebra.com/accessories



NA and Corporate Headquarters | +1 800 423 0442 | inquiry4@zebra.com

ZEBRA and the stylized Zebra head are trademarks of ZIH Corp, registered in many jurisdictions worldwide. All other trademarks are the property of their respective owners. ©2018 ZIH Corp and/or its affiliates. All rights reserved. 07/2018



TC7X Series Technical Accessory Guide







Note: TC70X Windows 10 configurations discontinued 6/2018 - see PMB 3120




NOTE: This document is only for general reference. Solution Builder and related PMBs should be used for product availability, pricing, and final solution selection.

* Zebra does not endorse or specifically recommend any **third-party products, accessories, or hardware**. ZEBRA DISCLAIMS ANY AND ALL LIABILITY, INCLUDING ANY EXPRESS OR IMPLIED WARRANTIES, WHETHER ORAL OR WRITTEN, FOR SUCH THIRD PARTY PRODUCTS, ACCESSORIES, OR HARDWARE. THE CUSTOMER ACKNOWLEDGES THAT NO REPRESENTATION HAS BEEN MADE BY ZEBRA AS TO THE FITNESS OF THE THIRD-PARTY PRODUCTS, ACCESSORIES, OR HARDWARE FOR THE CUSTOMER'S INTENDED PURPOSE.

Cradles/Charging



Part Number	Picture	Description	Notes	Required Items
CRD-TC7X-SE2CPP-01		2-Slot Charge-Only ShareCradle (for all TC7X series)	<ul style="list-style-type: none"> • Supports charging of spare Power Precision+ batteries used with TC70x and TC75x series. Blue dot/label on cradle distinguishes from TC70/TC75 cradle (CRD-TC7X-SE2CU1-01). • Will also support charging of TC70/TC75 series batteries (non-Power Precision+). • Will charge both TC7X with 1X battery and one spare 1X battery • Compatible with TC7X with a hand strap and Stylus attached • Also compatible with Snap-On accessories attached (e.g. MSR, Trigger Handle etc...) • Connects to charging connectors on bottom of TC7X for charging 	<ul style="list-style-type: none"> • Power Supply (PWR-BGA12V50W0WW and CBL-DC-388A1-01) • AC Line Cord (23844-00-00R).
CRD-TC7X-SE2EPP-01		2-Slot USB/Ethernet/Charging ShareCradle (for all TC7X series)	<ul style="list-style-type: none"> • Supports charging of spare Power Precision+ batteries used with TC70x and TC75x series. Blue dot/label on cradle distinguishes from TC70/TC75 cradle (CRD-TC7X-SE2EU1-01). • Will also support charging of TC70/TC75 series batteries (non-Power Precision+). • Will charge both TC7X with 1X battery and one spare 1X battery • Compatible with TC7X with a hand strap and Stylus attached • NOT compatible with Snap-On accessories attached (e.g. MSR, Trigger Handle etc...) • Connects to charging connectors on bottom of TC7X for charging and connects to communication port on back of TC7X for USB communications. • USB to Ethernet Module (MOD-MT2-EU1-01) integrated into the bottom of the cradle • Mechanical switch selects between USB B port and RJ45 Ethernet jack. • 10/100/1000 Mbps speed • LEDs on module indicate connectivity and speed. 	<ul style="list-style-type: none"> • Power Supply (PWR-BGA12V50W0WW and CBL-DC-388A1-01) • AC Line Cord (23844-00-00R). • USB Cable (25-124330-01R) for PC connection





MOD-MT2-EU1-01		USB to Ethernet Module	<ul style="list-style-type: none"> Attaches to 2-Slot USB/Charging ShareCradle (CRD-TC7X-SE2EU1-01) to provide Ethernet support Mechanical switch selects between USB B port and RJ45 Ethernet jack. 10/100/1000 Mbps speed LEDs on module indicate connectivity and speed. Already pre-installed on Ethernet Cradle (CRD-TC7X-SE2EU1-01). This would be a spare module if ordered for the TC7X. 	2-Slot USB/Charging ShareCradle (CRD-TC7X-SE2EU1-01)
CRD-TC7X-SE5C1-01		5-Slot Charge-Only ShareCradle	<ul style="list-style-type: none"> Will charge up to five TC7X units Compatible with TC7X with a hand strap and Stylus attached Also compatible with Snap-On accessories attached (e.g. MSR, Trigger Handle etc...) Can accommodate either five TC7Xs or four TC7Xs and one 4-Slot Spare Battery Charger Can be racked/ mounted in a standard 19inch rack system via the mounting accessory Connects to charging connectors on bottom of TC7X for charging 	<ul style="list-style-type: none"> DC Line Cord (CBL-DC-382A1-01) and Power Supply (PWR-BGA12V108W0WW) AC Line Cord (23844-00-00R)
CRD-TC7X-SE5C-KT2		5-Slot Charge-Only ShareCradle Kit	<ul style="list-style-type: none"> Will charge up to five TC7X units Compatible with TC7X with a hand strap and Stylus attached Also compatible with Snap-On accessories attached (e.g. MSR, Trigger Handle etc...) Can accommodate either five TC7Xs or four TC7Xs and one 4-Slot Spare Battery Charger Can be racked/ mounted in a standard 19inch rack system via the mounting accessory Connects to charging connectors on bottom of TC7X for charging Includes DC Line Cord (CBL-DC-381A1-01), Power Supply (PWR-BGA12V108W0WW), and AC Line Cord (23844-00-00R) 	
CRD-TC7X-SE5KT1-01		5-Slot Charge-Only ShareCradle with Spare Battery Charging slot	<ul style="list-style-type: none"> Will charge up to four TC7X units and four spare batteries Compatible with TC7X with a hand strap and Stylus attached Also compatible with Snap-On accessories attached (e.g. MSR, Trigger Handle etc...) Can be racked/ mounted in a standard 19inch rack system via the mounting accessory Connects to charging connectors on bottom of TC7X for charging Includes 5-Slot Charge-Only ShareCradle (CRD-TC7X-SE5C1-01) with four TC7X slots and ShareCradle 4-Slot Battery Charger Adapter Cup (CUP-SE-BTYADP1-01) NOTE: Only one TC7X 4-Slot Battery Charger (SAC-TC7X-4BTYPP-01) can be installed on the 5-Slot ShareCradle. Charger is installed on left most slot on ShareCradle. 	<ul style="list-style-type: none"> DC Line Cord (CBL-DC-382A1-01) and Power Supply (PWR-BGA12V108W0WW) AC Line Cord (23844-00-00R) 4-Slot Battery Charger (SAC-TC7X-4BTYPP-01)

<p>CRD-TC7X-5C4B-KT1</p>		<p>5-Slot Charge-Only ShareCradle with Spare Battery Charging Kit (US)</p>	<ul style="list-style-type: none"> ▶Will charge up to four TC7X units and four spare batteries ▶Compatible with TC7X with a hand strap and Stylus attached ▶Also compatible with Snap-On accessories attached (e.g. MSR, Trigger Handle etc...) ▶Can be racked/ mounted in a standard 19inch rack system via the mounting accessory ▶Connects to charging connectors on bottom of TC7X for charging ▶Includes 5-Slot Charge-Only ShareCradle with Spare Battery Charging (CRD-TC7X-SE5KT1-01), 4-Slot Battery Charger (SAC-TC7X-4BTYPP-01), Battery Charger Cradle Adapter Cup (CUP-SE-BTYADP1-01), DC Line Cord (CBL-DC-381A1-01), Power Supply (PWR-BGA12V108W0WWW), and AC Line Cord (23844-00-00R) ▶NOTE: Only one TC7X 4-Slot Battery Charger (SAC-TC7X-4BTYPP-01) can be installed on the 5-Slot ShareCradle. Charger is installed on left most slot on ShareCradle. 	
<p>CRD-TC7X-5C4B-UK1</p>		<p>5-Slot Charge-Only ShareCradle with Spare Battery Charging Kit (for UK)</p>	<ul style="list-style-type: none"> ▶Will charge up to four TC7X units and four spare batteries ▶Compatible with TC7X with a hand strap and Stylus attached ▶Also compatible with Snap-On accessories attached (e.g. MSR, Trigger Handle etc...) ▶Can be racked/ mounted in a standard 19inch rack system via the mounting accessory ▶Connects to charging connectors on bottom of TC7X for charging ▶Includes 5-Slot Charge-Only ShareCradle with Spare Battery Charging (CRD-TC7X-SE5KT1-01), 4-Slot Battery Charger (SAC-TC7X-4BTYPP-01), Battery Charger Cradle Adapter Cup (CUP-SE-BTYADP1-01), DC Line Cord (CBL-DC-381A1-01), Power Supply (PWR-BGA12V108W0WWW), and AC Line Cord for UK (50-16000-219R) ▶NOTE: Only one TC7X 4-Slot Battery Charger (SAC-TC7X-4BTYPP-01) can be installed on the 5-Slot ShareCradle. Charger is installed on left most slot on ShareCradle. 	
<p>PSP5TC75-01 (3rd party) *</p> <p>http://www.portsmith.com</p>		<p>Portsmith 5-Slot Charge-Only Dock</p>	<ul style="list-style-type: none"> ▶Charges five devices per module from a single power supply. ▶Durable rugged ABS cradle materials ▶Precision alignment of the handheld into the cradle ▶One handed insertion and removable ▶Safe and regulated power at each cup - 5VDC 2A delivered to each slot ▶Powder-coated steel chassis ▶Better space efficiency compared to five individual charging docks ▶Dimensions: 23" wide, 5" deep, 7" tall ▶Includes power supply and line cord for use in North America. 	






<p>PSP4TC75-02 (3rd party) *</p> <p>http://www.portsmith.com</p>		<p>Portsmouth 4-Slot Charge-Only Dock - for Rack Mounting</p>	<ul style="list-style-type: none"> Charges four devices per rack module from a single power supply. Durable rugged ABS cradle materials Precision alignment of the handheld into the cradle One handed insertion and removable Safe and regulated power at each cup - 5VDC 2A delivered to each slot Powder-coated steel chassis Mounts in any industry standard server or wall mount rack 6U or 10.5 inches tall Includes power supply and line cord for use in North America. 	
<p>CRD-TC7X-SE5EU1-01</p>		<p>5-Slot Ethernet/Charging ShareCradle</p>	<ul style="list-style-type: none"> Allows speeds up to 1 Gb Will charge both TC7X with 1X battery and one spare 1X battery Compatible with TC7X with a hand strap and Stylus attached NOT compatible with Snap-On accessories attached (e.g. MSR, Trigger Handle etc...) Can accommodate either five TC7Xs or four TC7Xs and one 4-Slot Spare Battery Charger Can be racked/ mounted in a standard 19inch rack system via the mounting accessory Connects to communication/ charging port on back of TC7X for charging and communications. 	<ul style="list-style-type: none"> DC Line Cord (CBL-DC-382A1-01) and Power Supply (PWR-BGA12V108W0WWW) AC Line Cord (23844-00-00R)
<p>SAC-TC7X-4BTYPP-01</p>		<p>4-Slot Battery Charger (for all TC7X series)</p>	<ul style="list-style-type: none"> Supports charging of spare Power Precision+ batteries used with TC70x and TC75x series. Blue dot/label on charger distinguishes from TC70/TC75-only charger (SAC-TC7X-4BTYC1-01). Will also support charging of TC70/TC75 series batteries (non-Power Precision+). Charges up to four spare batteries only Can be used standalone or one charger can be installed on the 5-Slot ShareCradle to allow four TC7X units and four spare batteries to be charged simultaneously. Charger will pull power from 5-Slot ShareCradle. 	<p>For Standalone use:</p> <ul style="list-style-type: none"> Power Supply (PWR-BGA12V50W0WWW and CBL-DC-388A1-01) AC Line Cord (23844-00-00R). <p>For 5-Slot ShareCradle mounting:</p> <ul style="list-style-type: none"> 5-Slot Charge-Only ShareCradle (CRD-TC7X-SE5C1-01) and ShareCradle 4-Slot Battery Charger Adapter Cup (CUP-SE-BTYADP1-01) OR 5-Slot Charge-Only ShareCradle with Spare Battery Charging slot (CRD-TC7X-SE5KT1-01)
<p>CUP-SE-BTYADP1-01</p>		<p>4-Slot Battery Charger Adapter Cup</p>	<ul style="list-style-type: none"> Allows for a TC7X 4-Slot Battery Charger (SAC-TC7X-4BTYPP-01 or SAC-TC7X-4BTYC1-01) to be charged and docked on the 5-Slot ShareCradles. Adapter Cup will pull power from 5-Slot ShareCradle and has pigtail cable to power 4-Slot Battery Charger. NOTE: Only one TC7X 4-Slot Battery Charger (SAC-TC7X-4BTYPP-01 or SAC-TC7X-4BTYC1-01) can be installed on the 5-Slot ShareCradle. Charger is installed on left most slot on ShareCradle. 	

BRKT-SCRD-SMRK-01		5-Slot ShareCradle Mounting Bracket	<ul style="list-style-type: none"> ▶Allows for rack and wall mounting of one 5-Slot ShareCradle OR up to two 2-Slot Cradles or 4-Slot Battery Chargers. ▶Bracket can be mounted on standard 19" network rack or on a wall. ▶Provides cable routing slots and removable power supply tray that stores and conceals power supplies. ▶Adjustable tabs & screw mounts for easy hanging/installation. ▶Adjustable orientations: <ul style="list-style-type: none"> - 25° High Density (5-Slot Charge Only Cradle) - Horizontal (5-Slot Ethernet Cradle, Single Slot Cradles, and 4-Slot Battery Chargers) 	
CRD-TC7X-CVCD1-01		Charge-Only Vehicle Cradle	<ul style="list-style-type: none"> ▶Supports snap on TC7X accessories, excluding the Pistol Grip Trigger Handle. ▶Uses unique tabs on power cable connector to ensure reliable power connection. ▶Includes removable mounting plate that provides for quick removal of the cradle using a single thumb screw on the top of the cradle. 	<p>For Charging: Cigarette Lighter Auto Charge Cable (CHG-AUTO-CLA1-01) OR Hard Wired Auto Charge Cable (CHG-AUTO-HWIRE1-01) OR Auto Charger Cable for Vehicle Cradles/Snap-on Cables and ZQ510/ZQ520 Series Printer (VAM-MPP-VHCH1-01) OR Legacy Zebra Vehicle Cradle Adapter Cable (CBL-TC7X-GFS-01)</p> <p>For Mounting: Windshield Suction Mount (RAM-B-166U) OR Vehicle Cradle RAM mount ball (RAM-B-238U) and additional RAM mount hardware</p>
<p>23-7X-09-TPC-010 (Charge-Only Cigarette Lighter Adapter plug)</p> <p>23-7X-09-TPC-020 (Charge-Only Hard-wired power connection)</p> <p>(3rd party) *</p> <p>http://tis-gmbh.de/en</p>		TIS Charge-Only Vehicle Cradle	<ul style="list-style-type: none"> ▶Available in both hard-wired and cigarette light adapter cable configurations ▶Durable cradle design for rugged enterprise use ▶AMPS hole pattern for simple wall, pedestal or vehicle dashboard mounting ▶Swivel mount ▶Does not include pictured RAM brackets 	








CRD-TC7X-VCD1-01		<p>Vehicle Data Communication and Charge Cradle Kit with USB I/O Hub</p>	<ul style="list-style-type: none"> ▶Includes TC7X Vehicle Data Communication Device Holder/Cradle (CRD-TC7X-DCVH-01) and USB I/O Hub (SHARE-USBH-01) ▶15 pin connector connects Holder/Cradle to USB I/O Hub ▶USB I/O Hub includes the following ports: <ul style="list-style-type: none"> - 3 standard USB A size ports - each can provide 1.5A current. - 1 USB A Charge-Only port - can provide 1.5A current for charging cell phones, tablets, headsets, etc. - 3.5mm headset jack ▶TC7X is automatically placed in USB Host mode ▶Accepts 12/24V power from vehicle and provides power conditioning (SAE/ISO) to TC7X ▶Does NOT support snap on accessories. ▶Supports Handstrap + Stylus. ▶Cradle must be powered externally for USB ports to be functional. 	<p>For Charging: Cigarette Lighter Auto Charge Cable (CHG-AUTO-CLA1-01) OR Hard Wired Auto Charge Cable (CHG-AUTO-HWIRE1-01) OR Vehicle Charger Cable for Vehicle Cradles/Snap-on Cables and ZQ500/QLn Series Printers (VAM-MPP-VHCH1-01) OR Legacy Zebra Vehicle Cradle Adapter Cable (CBL-TC7X-GFS-01)</p> <p>For Mounting Cradle: Windshield Suction Mount (RAM-B-166U) OR Vehicle Cradle RAM mount ball (RAM-B-238U) and additional RAM mount hardware</p> <p>For Mounting I/O Hub: Mount on flat surface OR Vehicle Cradle RAM mount ball (RAM-B-238U) and additional RAM mount hardware</p>
CRD-TC7X-DCVH-01		<p>Vehicle Data Communication Device Holder/Cradle</p>	<ul style="list-style-type: none"> ▶Does NOT support snap on accessories. ▶Supports Handstrap + Stylus. ▶15 pin connector on cable is used to attach to USB I/O Hub (SHARE-USBH-01) 	<p>USB I/O Hub (SHARE-USBH-01)</p> <p>For Mounting: Windshield Suction Mount (RAM-B-166U) OR Vehicle Cradle RAM mount ball (RAM-B-238U) and additional RAM mount hardware</p>
SHARE-USBH-01		<p>USB I/O Hub for Vehicle Data Communication Cradle</p>	<ul style="list-style-type: none"> ▶15 pin connector on cable is used to attach to USB I/O Hub (SHARE-USBH-01) ▶Includes the following ports: <ul style="list-style-type: none"> - 3 standard USB A size ports - each can provide 1.5A current. - 1 USB A Charge-Only port - can provide 1.5A current or charging cell phones, tablets, headsets, etc. - 3.5mm headset jack ▶Host device (TC7X) is automatically placed in USB Host mode ▶Accepts 12/24V power from vehicle and provides power conditioning (SAE/ISO) to host device (TC7X) ▶Hub must be powered externally for USB ports to be functional. 	<p>Vehicle Data Communication Device Holder/Cradle (CRD-TC7X-DCVH-01)</p> <p>For Charging: Cigarette Lighter Auto Charge Cable (CHG-AUTO-CLA1-01) OR Hard Wired Auto Charge Cable (CHG-AUTO-HWIRE1-01) OR Vehicle Charger Cable for Vehicle Cradles/Snap-on Cables and ZQ500/QLn Series Printers (VAM-MPP-VHCH1-01) OR Legacy Zebra Vehicle Cradle Adapter Cable (CBL-TC7X-GFS-01)</p> <p>For Mounting: Mount on a flat surface OR Vehicle Cradle RAM mount ball (RAM-B-238U) and additional RAM mount hardware</p>



<p>3PTY-PCLIP-710832</p>		<p>Forklift Cradle with 8" Post for Forklift Grill Mounting</p> 	<ul style="list-style-type: none"> •Features a unique and rugged design that not only secures and protects the TC7X, but enables the operator to quickly and easily adjust the cradle position for optimal device access. •A pivoting device securement arm on top of the cradle holds the TC7X firmly into the cradle during operation. •Four vibration-mitigating pads on the back of the cradle dramatically reduce shock to the device. The pedestal mount features quick-adjust joints with interlocking teeth for superior strength and device stability in spite of excessive shock and vibration. •Does NOT support snap on accessories. •Supports Handstrap + Stylus. •Does NOT charge TC7X •NOTE: TC7X fits into cradle with display facing away from driver (for driver safety). It will not allow TC7X to be inserted with display facing the driver. •NOTE: Restricted Product - Must open CPR at http://cpr.zebra.com (Zebra internal site). Sample devices shall then be provided, and once the customer approves these demo devices, the SKU shall be opened for sale to that customer. Refer to PMB 2756 for details. 	
<p>3PTY-PCLIP-710833</p>		<p>Forklift Cradle with 2" Post for Forklift Grill Mounting</p> 	<ul style="list-style-type: none"> •Features a unique and rugged design that not only secures and protects the TC7X, but enables the operator to quickly and easily adjust the cradle position for optimal device access. •A pivoting device securement arm on top of the cradle holds the TC7X firmly into the cradle during operation. •Four vibration-mitigating pads on the back of the cradle dramatically reduce shock to the device. The pedestal mount features quick-adjust joints with interlocking teeth for superior strength and device stability in spite of excessive shock and vibration. •Does NOT support snap on accessories. •Supports Handstrap + Stylus. •Does NOT charge TC7X •NOTE: TC7X fits into cradle with display facing away from driver (for driver safety). It will not allow TC7X to be inserted with display facing the driver. •NOTE: Restricted Product - Must open CPR at http://cpr.zebra.com (Zebra internal site). Sample devices shall then be provided, and once the customer approves these demo devices, the SKU shall be opened for sale to that customer. Refer to PMB 2756 for details. 	

<p>3PTY-PCLIP-215772</p>		<p>Forklift Cradle Clamp Mount with Large Circular Holes</p> 	<ul style="list-style-type: none"> Attaches to roll bar of a forklift. It accommodates square, round and flat posts and comes with a variety of screw sizes. The circular hole pattern on the oval plate is designed to work with part number 3PTY-PCLIP-710832 and 3PTY-PCLIP-710833 in those instances where there is a need for affixing to a thicker post. Circled hole pattern for attachment of round mount base Comes with complete set of screws in various sizes, allowing for the forklift mount to span from 130 mm to 5 mm Weight capacity over 500 lbs NOTE: Restricted Product - Must open CPR at http://cpr.zebra.lan (Zebra internal site). Sample devices shall then be provided, and once the customer approves these demo devices, the SKU shall be opened for sale to that customer. Refer to PMB 2756 for details. 	<p>Forklift Cradle (3PTY-PCLIP-710832 or 3PTY-PCLIP-710833)</p>
<p>PSVTC70-01 (Charge-Only Cigarette Lighter Adapter plug)</p> <p>PSVTC70-02 (Charge-Only Hard-wired power connection)</p> <p>(3rd party) *</p> <p>http://www.portsmith.com</p>		<p>PortSmith Charge-Only Vehicle Cradles</p>	<ul style="list-style-type: none"> Available in both hard-wired and cigarette light adapter cable configurations Durable cradle design for rugged enterprise use AMPS hole pattern for simple wall, pedestal or vehicle dashboard mounting Swivel mount Supports snap-on accessories, including Pistol Grip Trigger Handle. 	
<p>ProClip (3rd party) *</p> <p>http://www.proclipusa.com/category/zebra</p>		<p>ProClip/Brodit Vehicle Cradles</p> <p>See Zebra's ProClip accessory overview video at: http://www.zebra.com/asset/20160529/ProClip-Accessory-Overview-Video</p>	<ul style="list-style-type: none"> Available in both powered and un-powered versions (cigarette lighter adapter or straight through power cable) Versions available with top support clip that holds the device in place for a secure fit. Does not work with snap-on accessories Cradle tilts and swivels Powered versions provide: <ul style="list-style-type: none"> 10 Watts (2A) fast charging power Hard wire to 12 / 24 V vehicle power sources Black box converts from 12/24 V to 5.4 V output 	
<p>CHG-AUTO-CLA1-01</p>		<p>Cigarette Lighter Auto Charger Cable for Vehicle Cradles</p>	<ul style="list-style-type: none"> 12/24V Includes tab on Barrel jack end for ensuring a reliable connection to TC7X Vehicle Cradles. Only compatible with TC7X Vehicle Cradles (CRD-TC7X-VCD1-01 or CRD-TC7X-CVCD1-01) 	






CHG-AUTO-HWIRE1-01		Hard Wired Auto Charger Cable for Vehicle Cradles	<ul style="list-style-type: none"> ▶12/24V ▶Includes tab on Barrel jack end for ensuring a reliable connection to TC7X Vehicle Cradles. ▶Bare wire end connects directly to vehicle power source. ▶Only compatible with TC7X Vehicle Cradles (CRD-TC7X-VCD1-01 or CRD-TC7X-CVCD1-01) ▶Approximate cable length is 13 ft. 	
CBL-TC7X-GFS-01		Legacy Vehicle Cradle Power Adapter Cable	<ul style="list-style-type: none"> ▶Allows TC7X Vehicle Cradles to use power cables from legacy Zebra device vehicle cradles including: MC5x/MC6x, MC7x, MC9x-Brick, MC9x-Short, or MC95 which use cable SKUs 25-128973-01R, 25-61987-01R, or 25-128974-01R. ▶Cable length is 11.5" ▶NOTE: This is a custom product. Please work with your Zebra representative to open a Custom Product Request (CPR) if you would like to order this cable. 	
VAM-MPP-VHCH1-01		Vehicle Charger Cable for Vehicle Cradles/Snap-on Cables and ZQ500/QLn Series Printers	<ul style="list-style-type: none"> ▶Charger with charge both: <ol style="list-style-type: none"> (1) the TC7X Vehicle Cradles or TC7X Charging Cable Cup, Serial/Charge Cable, USB/Charge Cable Cups (2) a ZQ500 or QLn series printer ▶Includes the following: <ol style="list-style-type: none"> (1) Power Supply (P1093358) which has square locking connector and one USB-A port which can be used to charge an additional device. (2) cable for charging TC7X Vehicle Cradle (includes tab on Barrel jack end for ensuring a reliable connection to the cradle) and ZQ500/QLn printer (3) cable for charging TC7X Charging Cable Cup, Serial/Charge Cable, or USB/Charge Cable Cups and ZQ500/QLn printer. (4) Cigarette Lighter Adapter power cord (5) Hard Wired (bare wire) power cord <p>Choose preferred charging cable (2) or (3) and preferred power cord (4) or (5)</p>	
RAM-B-166U		Vehicle Cradle Windshield Suction Cup Mount	<ul style="list-style-type: none"> ▶RAM Twist Lock Suction Cup with Double Socket Arm and Diamond Base Adapter ▶Overall Length: 6.75" ▶Attaches to back of Vehicle Cradles 	
RAM-B-238U		Vehicle Cradle RAM Mount ball	<ul style="list-style-type: none"> ▶RAM 2.43" x 1.31" Diamond Ball Base w/ 1" Ball ▶Attaches to back of Vehicle Cradles 	Requires additional RAM hardware to mount vehicle cradle

<p>3PTY-PCLIP-215500</p>		<p>Tilt Swivel Mount For TC7X Vehicle Cradle</p> 	<ul style="list-style-type: none"> ▶For mounting Vehicle Cradle on any flat surface. ▶Angles/Tilts 15 degrees ▶Swivels 360 degrees ▶Extends 1 inch / 2.54 cm ▶Base Plate and Face Plate has AMPS hole pattern ▶Weight capacity 25 lbs / 11.34 kgs ▶NOTE: Restricted Product - Must open CPR at http://cpr.zebra.com (Zebra internal site). Sample devices shall then be provided, and once the customer approves these demo devices, the SKU shall be opened for sale to that customer. Refer to PMB 2756 for details. 	<p>Vehicle Cradle (CRD-TC7X-CVCD1-01)</p>
<p>3PTY-PCLIP-710834</p>		<p>4" tall Pedestal Mounting Kit For TC7X Vehicle Cradle - Horizontal & Vertical Adjustment</p> 	<ul style="list-style-type: none"> ▶4 inch Solid-core Aluminum quick-adjust interlocking joints. ▶Mount also features a 2 inch 90-degree offset extension rod to enable both horizontal and vertical adjustment to achieve optimal device/cradle positioning. ▶AMPS hole pattern in mount bases ▶Quick and easy installation ▶Adjustable for optimal positioning ▶Weight capacity over 300 lbs ▶NOTE: Restricted Product - Must open CPR at http://cpr.zebra.com (Zebra internal site). Sample devices shall then be provided, and once the customer approves these demo devices, the SKU shall be opened for sale to that customer. Refer to PMB 2756 for details. 	<p>Vehicle Cradle (CRD-TC7X-CVCD1-01)</p>
<p>3PTY-PCLIP-710835</p>		<p>4" tall Pedestal Mounting Kit - Horizontal Adjustment</p> 	<ul style="list-style-type: none"> ▶4 inch Solid-core Aluminum quick-adjust interlocking joints. ▶Mount also features a 2 inch Horizontal extension rod between mount bases ▶AMPS hole pattern in mount bases ▶Quick and easy installation ▶Adjustable for optimal positioning ▶Weight capacity over 300 lbs ▶NOTE: Restricted Product - Must open CPR at http://cpr.zebra.com (Zebra internal site). Sample devices shall then be provided, and once the customer approves these demo devices, the SKU shall be opened for sale to that customer. Refer to PMB 2756 for details. 	<p>Vehicle Cradle (CRD-TC7X-CVCD1-01)</p>

3PTY-PCLIP-710836	 	<p>2" tall Pedestal Mounting Kit For TC7X Vehicle Cradle</p> 	<ul style="list-style-type: none"> ▶2 inch Solid-core Aluminum quick-adjust interlocking joint. ▶The round bases provide an industry-standard 4-hole AMPS mounting pattern with approximately 20 degrees of rotation to facilitate the perfect mounting angle and device placement. ▶Adjustable for optimal positioning ▶Weight capacity over 300 lbs ▶NOTE: Restricted Product - Must open CPR at http://cpr.zebra.com (Zebra internal site). Sample devices shall then be provided, and once the customer approves these demo devices, the SKU shall be opened for sale to that customer. Refer to PMB 2756 for details. 	Vehicle Cradle (CRD-TC7X-CVCD1-01)
CHG-TC7X-CLA1-01		Charging Cable Cup with Cigarette Lighter Adapter	<ul style="list-style-type: none"> ▶Provides a smaller footprint for charging TC7X in the vehicle via a cigarette light adapter. ▶Connects to charge contacts on bottom of TC7X. ▶Can be used at same time as Snap-on accessories, including Pistol Grip Trigger Handle. 	
CHG-TC7X-CBL1-01		Charging Cable Cup	<ul style="list-style-type: none"> ▶Provides a smaller footprint for charging TC7X ▶Connects to charge contacts on bottom of TC7X. ▶Can be used at same time as Snap-on accessories, including Pistol Grip Trigger Handle. 	Power Supply (PWR-BUA5V16W0WW), DC Line Cord (CBL-DC-383A1-01) and AC Line Cord (50-16000-182R) for charging OR Vehicle Charger Cable for Vehicle Cradles/Snap-on Cables and ZQ500/QLn Series Printers (VAM-MPP-V/CH1-01)
MC95 Style Cradles - these cradles are typically used by customers with a mixed install base of MC95 and TC7X devices				
Part Number	Picture	Description	Notes	Required Items
ADP-TC7X-REU95-01	  	MC95 4-Slot Cradle to TC7X Adapter	<ul style="list-style-type: none"> ▶Allows TC7X to use existing MC95 4-Slot cradles (4-Slot Charge Only or 4-Slot Charge/Ethernet) ▶Existing MC95 cup/cleat on the cradle must be removed and replaced with Adapter. ▶Order four Adapters for each MC95 4-Slot Cradle. ▶TC70 Windows 10 units only capable of charging via 4-Slot Cradles. All other TC7X configurations capable of supporting both Charging and Ethernet communication. ▶Allows existing MC95 customers to reuse their installed base of MC95 cradles. ▶NOTE: SKU is restricted sale. Contact Zebra Product Management with opportunity information to ensure proper training on cradle modification has been met prior to authorizing sale. 	

CRD-TC7X-RECO95-01		MC95 Base - 4-Slot Charge Only Cradle	<ul style="list-style-type: none"> Uses MC95 4-Slot Charge-Only Cradle base along with four TC7X Adapters (ADP-TC7X-REU95-01). Charges 4 terminals Does not charge spare batteries. 	<p>For Desk Mounting: KT-116363-01R</p> <p>For Wall Mounting: KT-116362-01R</p> <ul style="list-style-type: none"> DC Line Cord (CBL-DC-382A1-01) and Power Supply (PWR-BGA12V108W0WW) AC Line Cord (23844-00-00R)
CRD-TC7X-REEU95-01		MC95 Base - 4-Slot Ethernet and Charge Cradle	<ul style="list-style-type: none"> Uses MC95 4-Slot Ethernet Charge Cradle base along with four TC7X Adapters (ADP-TC7X-REU95-01). Allows Ethernet speeds up to 1 Gb Charges 4 terminals Does not charge spare batteries. TC70 Windows 10 units only capable of charging via 4-Slot Cradles. All other TC7X configurations capable of supporting both Charging and Ethernet communication. 	<p>For Desk Mounting: KT-116363-01R</p> <p>For Wall Mounting: KT-116362-01R</p> <ul style="list-style-type: none"> DC Line Cord (CBL-DC-382A1-01) and Power Supply (PWR-BGA12V108W0WW) AC Line Cord (23844-00-00R)

Communication Cables

Part Number	Picture	Description	Notes	Required Items
25-124330-01R		USB 2-Slot ShareCradle to PC/Host cable	<ul style="list-style-type: none"> Micro USB connection on cradle end 	
CBL-TC7X-USB1-01		Snap-on USB Communication/Charging Cable	<ul style="list-style-type: none"> Attaches to rear accessory port on TC7X Can't be used at same time as other Snap-on accessories Blocks view of rear facing camera 	Power Supply (PWR-BUA5V16W0WW), DC Line Cord (CBL-DC-383A1-01) and AC Line Cord (50-16000-182R) for charging OR Vehicle Charger Cable for Vehicle Cradles/Snap-on Cables and ZQ500/QLn Series Printers (VAM-MPP-VHCH1-01)
CBL-TC7X-SERL1-01		Snap-on Serial Communication/Charging Cable	<ul style="list-style-type: none"> Attaches to rear accessory port on TC7X Can't be used at same time as other Snap-on accessories Blocks view of rear facing camera 	Power Supply (PWR-BUA5V16W0WW), DC Line Cord (CBL-DC-383A1-01) and AC Line Cord (50-16000-182R) for charging OR Vehicle Charger Cable for Vehicle Cradles/Snap-on Cables and ZQ500/QLn Series Printers (VAM-MPP-VHCH1-01)
CBL-TC7X-DEX1-01		Snap-on DEX Cable	<ul style="list-style-type: none"> Attaches to rear accessory port on TC7X Can't be used at same time as other Snap-on accessories Does not provide device charging. Blocks view of rear facing camera 	
3rd party *		USB micro-A to USB A Female adapter	<ul style="list-style-type: none"> Allows the TC7X to act as a USB host to connect to devices like USB flash drives/memory sticks, mice, etc. Connects to 2-Slot USB ShareCradle 	

(see <http://www.cyberguys.com/product-details/?productid=33062>)


Snap-On Accessories

Part Number	Picture	Description	Notes	Required Items
MSR-TC7X-SNP1-01		Snap-on Mag Stripe Reader (MSR)	<ul style="list-style-type: none"> ▶ Reads Tracks 1, 2, & 3. ▶ Offers Point-to-point encryption (P2PE) w/ Encryption for Tracks 1, 2, & 3, supporting TDES/DUKPT & AES/DUKPT. ▶ Compatible with Hand strap, Holster, Charge-Only Cradles, and Charging Cable Cups. ▶ NOT compatible with other snap on accessories or USB/Ethernet cradles ▶ Allows access to rear facing camera 	
TRG-TC7X-SNP1-02		Snap-on Pistol Grip Trigger Handle	<ul style="list-style-type: none"> ▶ Transforms device into all-touch handle style terminal for use in high volume scanning operations ▶ 6.4 oz weight with spring back trigger designed for repetitive scanning. ▶ Trigger pull will awake device. ▶ Trigger can be easily removed for battery access. ▶ Compatible with Holster for Trigger Handle devices, Charge-Only Cradles, and Charging Cable Cups. ▶ Integrated three point stand allows device to be rested when not in use. ▶ NOT compatible with Hand Strap, other snap on accessories or USB/Ethernet cradles. ▶ NOTE: Even when Handle is removed from TC7X, the cleat may interfere with the device fitting into USB/Ethernet cradles. The cleat may need to be removed when using these cradles. ▶ Includes trigger handle clip/cleat that replaces the TC7X's existing hand strap clip. ▶ Now includes tether strap to prevent Pistol Grip and Cleat from being separated. ▶ Now provides additional spring tension on pistol grip to TC7X connection points. ▶ Can be used with Wrist Strap (50-12500-066), although included tether strap can also be used for this. ▶ Blocks view of rear facing camera 	

<p>23-7X-09-TG-01 (3rd party) *</p> <p>Order through ScanSource in NA/EMEA or through POSPOS in APAC.</p> <p>http://www.tis-gmbh.de/en/</p>		<p>Trigger Handle</p>	<ul style="list-style-type: none"> ▶Simple compact trigger handle. ▶Trigger handle mechanically presses the scan trigger button on the TC70 or the PTT button on the TC75/TC70x/TC75x when the trigger handle is pulled (PTT button requires re-mapping to perform scan). ▶TC7X snaps into place on the Handle. ▶Gun form factor allows ergonomically optimized scanning position. ▶Designed to provide comfortable balance in the hands of the user. ▶TC7X can be recharged in Single or Multi-Slot cradles with the trigger handle installed. ▶Does not block access to camera on back of TC7X. ▶Includes stylus holder and tether point for stylus tether. ▶TC7X Handstrap does not need to be removed to use with Handle. ▶Handle must be removed to swap battery on device. ▶Trigger mechanism was designed for over 1 million pulls. 	
<p>ADP-TC7X-AUD35-01</p>		<p>Snap-on Audio Adapter (3.5mm jack)</p>	<ul style="list-style-type: none"> ▶Provides 3.5mm barrel jack connector ▶Audio jack is at the end of a 3.5" pigtail cable extending from the rear of the adapter. ▶Features Internal sealing and Rubber sealing to reduce connector corrosion and jack exposure. Ability to attach without removing hand strap and no need to detach to access the battery. Camera, Flash and IRDA window exposed. ▶NOT compatible with other snap on accessories or USB/Ethernet cradles ▶Allows access to rear facing camera. 	
<p>KIT-TC7X-AUDL35-01</p>		<p>Snap-on Audio Adapter (3.5mm jack) with Retention and Anti-Rotation Lock/Clip</p>	<ul style="list-style-type: none"> ▶Provides 3.5mm barrel jack connector that is keyed/collared for a locking failsafe connection with matching cables and headsets. ▶Audio jack is at the end of a 3.5" pigtail cable extending from the rear of the adapter. ▶Features Internal sealing and Rubber sealing to reduce connector corrosion and jack exposure. Ability to attach without removing hand strap and no need to detach to access the battery. Camera, Flash and IRDA window exposed. ▶NOT compatible with other snap on accessories or USB/Ethernet cradles ▶Allows access to rear facing camera. ▶Includes Snap-on 3.5mm Audio Adapter (ADP-TC7X-AUD35-01) and Retention/Anti-Rotation Lock (ADP-LOCK-3.5HT1-01) 	







<p>23-7X-09-TSO-01 (for Agilion)</p> <p>23-7X-09-TSO-02 (for Solcon)</p> <p>23-7X-09-TSO-03 (for Ubisense)</p> <p>(3rd party) *</p> <p>http://tis-gmbh.de/en</p>		<p>TIS snap-on RTLS Transponder</p>	<ul style="list-style-type: none"> ▶Provides Real-Time Location System (RTLS) tracking of the TC7X from various RTLS application providers. ▶Transponder is powered from the TC7X ▶Does not block access to camera. ▶TC7X can still be docked in Charge-Only cradles and will also work with TIS Snap-on Pistol Grip Trigger Handle (23-7X-09-TG-01) ▶LED on snap-on indicates transponder is being powered. 	
Misc				
Part Number	Picture	Description	Notes	Required Items
SG-TC7X-RHLSTR1-01		Rigid Holster	<ul style="list-style-type: none"> ▶TC7X Rigid Holster w/ snap in Design to accommodate hand strap and Snap-ons (e.g. MSR) for easy insertion/removal ▶Rotating Belt Clip with ability to insert in either direction. ▶NOT compatible with Trigger Handle 	
SG-TC7X-HLSTR1-02		Soft Holster	<ul style="list-style-type: none"> ▶Vertical orientation with Open Bucket design to accommodate hand strap and Snap-ons such as the MSR for easy insertion and removal. ▶Includes Loop and tether point for optional stylus. ▶Non rotating for maximum durability. ▶Opening at bottom of holster for providing drainage and route for audio from device's speaker. ▶Uses improved materials vs. SG-TC7X-HLSTR1-01 	
TM-CTC70 (3rd party) *		TC7X Case	<ul style="list-style-type: none"> ▶Includes D ring and hand strap ▶Provides access to camera 	
<p>http://www.taylormadecases.com</p>				





<p>AC1755DWSP (3rd party) *</p> <p>http://www.ultimacase.com</p>		<p>Holster for TC7X with Snap-On Trigger Handle</p> 	<ul style="list-style-type: none"> ▶Holsters TC70 units using Trigger Handle (TRG-TC7X-SNP1-01) ▶Made with durable easy care Ballistic nylon ▶Belt loop designed for left or right handed users ▶Exterior pocket holds spare battery ▶Drain hole in case of inclement weather 	
<p>TM-CTC70G (3rd party) *</p> <p>http://www.laylormadecases.com</p>		<p>Case for TC7X with Pistol Grip Trigger Handle</p>	<ul style="list-style-type: none"> ▶Full access to touch screen ▶Includes D ring 	
<p>TM-HUTC70 (3rd party) *</p> <p>http://www.laylormadecases.com</p>		<p>Holster for TC7X with Pistol Grip Trigger Handle</p>	<ul style="list-style-type: none"> ▶Includes slide clip on back and small front elastic pocket. 	

<p>TM-WS-TC70 (3rd party) *</p> <p>http://www.taylormadecases.com</p>		<p>Wrist Mount Holster</p>	<ul style="list-style-type: none"> ▶Allows TC7X to be worn as a wearable device. ▶Full access to touch screen 	
<p>(3rd party) *</p> <p>http://www.ultimacase.com</p> <p>http://www.taylormadecases.com</p>		<p>Additional Cases & Holsters for TC7X</p>		
<p>A1234ST (3rd party) *</p> <p>https://shilpitrading.com</p>		<p>Soft Wearable Holster</p>	<ul style="list-style-type: none"> ▶Durable Ballistic Nylon Holster. ▶Elastic side panels expand to accomodate varying device types and battery sizes. ▶Compatible with MC55, MC6x, MC7x, and TC7x. ▶Covered Belt Clip for quick on/off waist belt. ▶Retaining strap at top to secure device in holster. ▶Includes D-rings for optional shoulder strap use. ▶Elastic loop on each side can be used for storing stylus. ▶Can be used with optional Waist Belt for Holster (A1227ST) or Shoulder Strap (A1236ST) 	
<p>A1217ST (3rd party) *</p> <p>https://shilpitrading.com</p>		<p>Soft Wearable Holster with Shoulder Strap</p>	<ul style="list-style-type: none"> ▶Leather-like material with smooth finish. ▶Elastic side panels expand to accomodate varying device types and battery sizes. ▶Compatible with MC55, MC6x, MC7x, and TC7x. ▶Covered Belt Clip for quick on/off waist belt. ▶Retaining strap at top to secure device in holster. ▶Includes D-rings for use with included shoulder strap. ▶Shoulder Strap is 3/8" wide and adjustable to 70" length. ▶Elastic loop on each side can be used for storing stylus. ▶Can be used with optional Waist Belt for Holster (A1227ST). 	








<p>A1216ST (3rd party) *</p> <p>https://shilpitradng.com</p>		<p>Soft Wearable Dual Holster with Shoulder Strap</p>	<ul style="list-style-type: none"> ▶Leather-like material with smooth finish. ▶Includes two pockets - one for device and another for cell phone, mobile payment unit or spare battery. ▶Elastic side panels expand to accomodate varying device types and battery sizes. ▶Compatible with MC55, MC6x, MC7x, and TC7x. ▶Covered Belt Clip for quick on/off waist belt. ▶Retaining strap at top to secure device in holster. ▶Includes D-rings for use with included shoulder strap. ▶Shoulder Strap is 3/8" wide and adjustable to 70" length. ▶Elastic loop on each side can be used for storing stylus. ▶Can be used with optional Waist Belt for Holster (A1227ST). 	
<p>SG-TC7X-HSTR2-03 (pack of 3)</p>		<p>Replacement Handstraps</p>	<ul style="list-style-type: none"> ▶Leather and Hypalon Pad for maximum comfort & wear resistance ▶Adjustable Velcro design provides comfort to support a wide range of hand sizes whiles resisting wear in rugged environments. ▶Also provides a loop and tether point for the optional stylus. ▶Plastic Clip latches into terminal for easy insertion and removal. ▶Has improved handstrap materials vs. SG-TC7X-HSTRP1-03 	









<p>SG-MC33-LNYDB-01</p>		<p>Lanyard</p>	<ul style="list-style-type: none"> ▶Allows unit to be attached to a retractable lanyard. ▶Lanyard can be worn cross-body using included strap or strap can be removed and lanyard can be attached to belt. ▶Standard TC7X handstrap must be removed to allow lanyard to be attached. ▶Not compatible with TC7X Pistol Grip trigger handle. ▶Can be used with Belt Holster (11-08062-02R) 	
<p>11-08062-02R</p>		<p>Belt for holster</p>	<ul style="list-style-type: none"> ▶Belt is 2 inches wide ▶Extends to 48 inches ▶Has improved buckle and softer belt material 	
<p>A1227ST (3rd party) * https://www.shilpitrading.com</p>		<p>Belt for Holster</p>	<ul style="list-style-type: none"> ▶Belt is 2 inches wide ▶Extends to 48 inches ▶Quick on/off snap buckle 	
<p>V6198DW (3rd party) * http://www.ultimacase.com</p>		<p>Belt Extender</p>	<ul style="list-style-type: none"> ▶Used to extend the holster belt (11-08062-02R) an additional 10 inches 	
<p>ADP-TC7X-CLHHTH-10 (pack of 10)</p>		<p>Replacement Cleats and Handstrap for Trigger Handle</p>	<ul style="list-style-type: none"> ▶Attaches under battery and provides attachment point for the Snap-on Pistol Grip Trigger Handle (TRG-TC7X-SNP1-02) ▶Includes Handstrap (tether strap) to prevent Pistol Grip and Cleat from being separated. ▶One Cleat and Handstrap is normally included with each Trigger Handle ▶NOTE: Use of this cleat may interfere with the device fitting into USB/Ethernet cradles. The cleat may need to be removed when using these cradles. 	





50-12500-066		Wrist Strap for Trigger Handle	<ul style="list-style-type: none"> Attaches to bottom of Snap-on Pistol Grip Trigger Handle (TRG-TC7X-SNP1-01) 	
SG-TC7X-STYLUS-03 (pack of 3)		Stylus Kit with Tether	<ul style="list-style-type: none"> Includes fine-pitch, capacitive Stylus (SG-TC7X-STYLUS1-03) and coiled tether (KT-TC7X-TETHR1-03) Conductive Carbon-filled plastic material w/ 5mm tip. Length of stylus is 3.5". Rigid plastic stylus is optimized for enterprise durability. Clip & tether point to reduce loss. Tether to Handstrap When not being used stylus can be stored in loop on Handstrap or in the optional Holster 	
SG-TC7X-STYEX1-3 (pack of 3)		Extended Length Stylus	<ul style="list-style-type: none"> Conductive Carbon-filled plastic material w/ 5mm tip Rigid plastic stylus is optimized for enterprise durability. Clip & tether point to reduce loss. When not being used stylus can be stored in optional Holster To be discontinued 2/2019 - see PMB 10057 	
SG-ET5X-SLTETR-01		Coiled Tether for Stylus		
HDST-35MM-PTVP-01		PTT and VoIP Headset (3.5mm jack)	<ul style="list-style-type: none"> For Push-To-Talk (PTT) and VoIP telephony Uses 3.5mm rugged jack that is keyed/collared for a locking failsafe connection. Rotating earpiece allows for right or left ear configuration Built-in cord wrap mono with microphone includes clip for attaching PTT button to clothing. 	TC7X Snap-on Audio Adapter (3.5mm jack) with retention and anti-rotation lock (KIT-TC7X-AUDL35-01)
HDST-25MM-PTVP-01		PTT and VoIP Headset (2.5mm jack)	<ul style="list-style-type: none"> For Push-To-Talk (PTT) <u>and</u> VoIP telephony 2.5 mm jack Rotating earpiece allows for right or left ear configuration Built-in cord wrap mono with microphone includes clip for attaching PTT button to clothing. Recommend using 3.5mm headset (HDST-35MM-PTVP-01) instead since this feature a more secure locking jack connector. 	2.5mm Snap-on Audio Adapter (ADP-TC7X-AUDIO1-01)

<p>See HS2100-HS3100 Accessories Document</p>		<p>HS2100 Rugged Wired Headset</p>	<ul style="list-style-type: none"> ▶Built to handle the everyday inevitable drops ▶Dustproof, sprayproof and waterproof ▶Ready for the freezer and outdoor subzero temperatures ▶Feather-light for extraordinary comfort ▶Noise cancellation for a superior voice experience in the noisiest environments ▶Detachable swivel boom minimizes costs. ▶Swivelling boom mutes microphone allowing uses to prevent voice pick applications from recognizing non-voice pick conversations. ▶User-replaceable pads and windscreens maximize comfort and hygiene 	<p>HS2100 to 3.5mm Standard Cable (CBL-HS2100-3MS1-01) AND TC7X Snap-on Audio Adapter (3.5mm jack) with retention and anti-rotation lock (KIT-TC7X-AUDL35-01)</p> <p>See HS2100/HS3100 Accessories Document for additional headset accessories</p>
<p>RCH51</p>		<p>Rugged Cabled Headset</p>	<ul style="list-style-type: none"> ▶For VoIP use only, not Push-To-Talk (PTT) ▶Improved to withstand chemicals in certain hair gels ▶Noise cancelling microphone filters ambient noise inches away ▶Extremely rugged strain relief features ensure cable bend tolerance, even at -30C ▶IP67 sealing throughout the headset protects sensitive components from moisture and dust ▶High-strength plastics survive 6' drop at -30C & 500 tumbles ▶Weight: 4 oz. ▶See RCH50/RCH51 Accessories Document for additional accessories. 	<p><u>Option 1</u> TC7X Snap-on Audio Adapter (3.5mm jack) with retention and anti-rotation lock (KIT-TC7X-AUDL35-01) AND Quick Disconnect Headset Adapter Cable (ADP-35M-QDCBL1-01)</p> <p><u>Option 2</u> 2.5mm Snap-on Audio Adapter (ADP-TC7X-AUDIO1-01) AND Quick Disconnect Adapter Cable (25-124387-02R)</p>
<p>3PTY-VXI-VR12 (Zebra orderable SKU)</p> <p>http://www.vxicorp.com</p>		<p>VXi VR12 Wired Noise Cancelling Headset</p> 	<ul style="list-style-type: none"> ▶To be discontinued 10/2018, now use HS2100 series - PMB 10005 ▶Audio accuracy for voice picking and other speech recognition applications. ▶High quality durability stands up to all-day, every-day use. ▶Lightweight design is easy and comfortable to wear all day. ▶Compatible with most major wearable computers and devices used in voice-picking environments. ▶G type (GN Netcom) Quick Disconnect. ▶Convertible design gives choice of over-the-head and behind-the-neck wearing styles 	<p><u>Option 1</u> TC7X Snap-on Audio Adapter (3.5mm jack) with retention and anti-rotation lock (KIT-TC7X-AUDL35-01) AND Quick Disconnect Headset Adapter Cable (ADP-35M-QDCBL1-01)</p> <p><u>Option 2</u> 2.5mm Snap-on Audio Adapter (ADP-TC7X-AUDIO1-01) AND Quick Disconnect Adapter Cable (25-124387-02R)</p>

<p>See HS2100-HS3100 Accessories Document</p>		<p>HS3100 Rugged Bluetooth Headset</p>	<ul style="list-style-type: none"> ▶HD Voice, also known as Wide Band Audio, brings incredible audio clarity ▶Built to handle the everyday inevitable drops ▶Dustproof, sprayproof and waterproof ▶Ready for the freezer and outdoor subzero temperatures ▶Feather-light for extraordinary comfort ▶Noise cancellation for a superior voice experience in the noisiest environments ▶Swap batteries on the fly – without losing the Bluetooth connection ▶Split-second tap-to-pair simplicity using NFC. ▶Detachable swivel boom minimizes costs. ▶Swivelling boom mutes microphone allowing users to prevent voice pick applications from recognizing non-voice pick conversations. ▶User-replaceable pads and windscreens maximize comfort and hygiene ▶15 hours of battery power 	<p>See HS2100/HS3100 Accessories Document for headset accessories</p>
<p>3PTY-VXI-B350XT (Zebra orderable SKU)</p> <p>http://www.vxicorp.com</p>		<p>VXi BlueParrott Bluetooth Headset for voice directed applications</p>	<ul style="list-style-type: none"> ▶To be discontinued 10/2018, now use HS3100 series - PMB 10005 ▶Used to enable Voice Directed Picking (VDP) or Speech Applications in warehouse environments when the use of a wireless headset is desired ▶Not intended to support peer-to-peer communications (PTT) or VoIP calls. ▶Provides 24 hours talk time. ▶Allows the use of other BT devices (i.e. RS6000 scanner or mobile printer) ▶Zebra Compatible certification for VDP application use with MC32. 	
<p>3PTY-VXI-B250XTP (Zebra orderable SKU)</p> <p>http://www.vxicorp.com</p>		<p>VXi BlueParrott Bluetooth Headset for voice directed applications</p>	<ul style="list-style-type: none"> ▶To be discontinued 10/2018, now use HS3100 series - PMB 10005 ▶Used to enable Voice Directed Picking (VDP) or Speech Applications in warehouse environments when the use of a wireless headset is desired ▶Not intended to support peer-to-peer communications (PTT) or VoIP calls. ▶Provides 20 hours talk time. ▶Allows the use of other BT devices (i.e. RS6000 scanner or mobile printer) 	
<p>3PTY-VXI-EXPWAYII (Zebra orderable SKU)</p> <p>http://www.vxicorp.com</p>		<p>VXi BlueParrott Bluetooth Headset for voice directed applications</p>	<ul style="list-style-type: none"> ▶To be discontinued 10/2018, now use HS3100 series - PMB 10005 ▶Used to enable Voice Directed Picking (VDP) or Speech Applications in warehouse environments when the use of a wireless headset is desired ▶Not intended to support peer-to-peer communications (PTT) or VoIP calls. ▶Provides 8 hours talk time. ▶Allows the use of other BT devices (i.e. RS6000 scanner or mobile printer) ▶Zebra Compatible certification for VDP application use with MC92, VC70, WT41 and MC32. 	

CBL-HS2100-3MS1-01		HS2100 Headset Standard Cable (3.5 mm jack)	<ul style="list-style-type: none"> ▶3.5mm barrel jack connector ▶For use with TC7X, TC8000, or other devices using a 3.5mm barrel jack audio connector ▶Cable is 43" (1.1 M) long ▶Rugged cable with rugged connectors that are keyed for failsafe connectivity ▶Includes one clothing clip. Additional clips can be purchased separately. 	TC7X Snap-on Audio Adapter (3.5mm jack) with retention and anti-rotation lock (KIT-TC7X-AUDL35-01)
25-124387-02R		RCH50/RCH51 Headset Adapter Cable	<ul style="list-style-type: none"> ▶Connects RCH50/RCH51 headset to devices with standard 3-pole 2.5mm barrel jack connector. ▶Updated cable minimizes cross talk and intermittency issues. 	2.5mm Snap-on Audio Adapter (ADP-TC7X-AUDIO1-01)
ADP-35M-QDCBL1-01		RCH50/RCH51 Quick Disconnect Headset Adapter Cable	<ul style="list-style-type: none"> ▶Connects RCH50/RCH51 headset (or headsets with Quick-Disconnect connector) to devices with 3-pole 3.5mm barrel jack connector. ▶Cable features a rugged keyed/collared jack for a locking failsafe connection. 	TC7X Snap-on Audio Adapter (3.5mm jack) with retention and anti-rotation lock (KIT-TC7X-AUDL35-01)
ADP-LOCK-3.5HT1-01		3.5mm Audio Adapter Retention and Anti-Rotation Lock	<ul style="list-style-type: none"> ▶This clip is used with the Snap-on 3.5mm Audio Adapter (ADP-TC7X-AUDL35-01) and keyed headset cables to prevent cable rotation/spinning and also to provide a secure, reliable headset connection. ▶Clip is normally included with Snap-on 3.5mm Audio Adapter KIT (KIT-TC7X-AUDL35-01). ▶NOTE: This is a Spare/Service Parts item. Contact an authorized Zebra reseller to order. 	
SG-TC7X-SCRNTMP-01 (single)		Tempered Glass Screen Protector	<ul style="list-style-type: none"> ▶Compatible with TC70x/TC75x series only (not TC70/TC75 series) 	
Power Cords/Power Supplies				
Part Number	Picture	Description	Notes	Required Items
CBL-DC-388A1-01		DC Power Cord	<ul style="list-style-type: none"> ▶Used along with Power Supply PWR-BGA12V50W0WW to power 2-Slot Cradle and SACX000 4-Slot Battery Charger. ▶Cable length is 1.8 meters 	
PWR-BGA12V50W0WW		Power Supply	<ul style="list-style-type: none"> ▶Used to power 2-Slot Cradle and SACX000 4-Slot Battery Charger. ▶100-240 VAC, 12V, 4.16A, 50W ▶Provides US DOE Level VI compliance for power efficiency. ▶Replaces PWRS-14000-148R 	DC Line Cord (CBL-DC-388A1-01) and AC Line Cord (23844-00-00R)

KIT-PWR-12V50W		Power Supply Kit	<ul style="list-style-type: none"> Includes Power Supply (PWR-BGA12V50W0WW) and DC Line Cord (CBL-DC-388A1-01) 	AC Line Cord (23844-00-00R)
CBL-DC-383A1-01		DC Line Cord	<ul style="list-style-type: none"> Used to power Snap-On USB/Charge Cable with Power Supply PWR-BUA5V16W0WW Cable length is 6 ft. 	
PWR-BUA5V16W0WW		Power Supply	<ul style="list-style-type: none"> Used with Charging Cable Cup, Serial/Charge Cable, and USB/Charge Cable Cups 100-240VAC, 5.4V, 3A, 16W Meets US DOE Level VI efficiency standard Replaces PWRS-14000-249R 	DC Line Cord (CBL-DC-383A1-01) and AC Line Cord (50-16000-182R)
CBL-DC-381A1-01		DC Power Cord	<ul style="list-style-type: none"> Used to power 5-Slot ShareCradles when using Level VI Efficiency power supply (PWR-BGA12V108W0WW) This cable does not include the black extension release latch which is not required when used on Multi-Slot ShareCradles. CBL-DC-382A1-01 is still typically used though. 	
CBL-DC-382A1-01		DC Power Cord	<ul style="list-style-type: none"> Used with Power Supply PWR-BGA12V108W0WW to power 5-Slot ShareCradles. 	
PWR-BGA12V108W0WW		Power Supply	<ul style="list-style-type: none"> Used to power Four Slot Cradles 100-240 VAC, 12V, 9A, 108W Provides US DOE Level VI compliance for power efficiency. Replaces PWRS-14000-241R 	CBL-DC-382A1-01 and 23844-00-00R
23844-00-00R		AC Line Cord	Used to power Cradles	
50-16000-182R		AC Line Cord	Used with 50-14000-147R/50-14000-249R/PWRS-14000-249R/PWR-BUA5V16W0WW to power Snap-on charging cables	
Batteries				
Part Number	Picture	Description	Notes	Required Items

<p>BTRY-TC7X-46MAH-01 (single) BTRY-TC7X-46MAH-10 (10 pack)</p>		<p>TC70/TC75 Spare 1X Battery with PowerPrecision (4620 mAh)</p> 	<ul style="list-style-type: none"> ▶Recommended for use in TC70/TC75 series only. - If used in TC70x/TC75x battery will not give an accurate reading of the capacity or the state of health. For all charge levels the battery capacity indicator will read 50% (see PMB 2863). ▶Designed, manufactured & tested to meet rigorous controls & standards ▶Premium-grade cells with higher capacity & longer life cycle ▶Designed to help prevent overcharging & electrical shock ▶Strong & robust housing for optimal performance & durability ▶Information available: <ul style="list-style-type: none"> - Available charge status - Total charge accumulated on the battery - Basic state of health 	
<p>BTRY-TC7X-46MPP-01 (single) BTRY-TC7X-46MPP-10 (10 pack)</p> <p>BTRY-TC7X-46MPPBR (for use in Brazil)(single battery) BTRY-TC7X-46MPP-IN (for use in India)(single battery)</p>		<p>TC70x/TC75x Spare 1X Battery with PowerPrecision Plus (4620 mAh)</p> 	<ul style="list-style-type: none"> ▶Recommended for use in TC70x/TC75x series. Blue label on battery distinguishes from TC70/TC75 series battery (BTRY-TC7X-46MAH-01 / BTRY-TC7X-46MA2-01). ▶Battery is also compatible with TC70/TC75 series units. Note that Spare Battery Chargers designed specifically for the TC70/TC75 series will not charge this battery and may cause damage to the battery (see PMB 2863). ▶Designed, manufactured & tested to meet rigorous controls & standards ▶Premium-grade cells with higher capacity & longer life cycle ▶Designed to help prevent overcharging & electrical shock ▶Strong & robust housing for optimal performance & durability ▶Information available: <ul style="list-style-type: none"> - Advanced state of Charge (shows the remaining battery power based on two factors: present charge and present real-time usage patterns of the device. - Advanced State of Health (highly accurate end-of-life prediction) - Dynamic usage patterns are constantly calculated, factoring in criteria such as the applications that are in use and scanning frequency). 	